

SPEC MANUAL

B.U.R., MODIFIED & SHINGLE ROOFING SYSTEMS

Chapter 6

Warranties, Forms, and Applications





6.1 **GENERAL WARRANTY INFORMATION**

Malarkey offers several types of warranties covering our products, and they are described below.

Malarkey warranties are subject to the terms and conditions set forth in each. Refer to the sample warranties in this chapter for specifics applicable to each.

6.1.1 LIMITED MATERIAL-ONLY WARRANTIES

All Malarkey shingle, steep slope accessory, and roll products are subject to the terms and conditions of standard Malarkey limited warranties, cover only manufacturing defects that cause leaks1, exclude consequential damages, and are subject to a declining prorated liability for the warranty period once an initial, non-prorated period has expired. Warranties in this category are mostly for individual homeowners but a couple can also include commercial building owners:

Standard Shingle & Accessory Warranty:

- Our basic residential homeowner warranty; all but two shingles offer Limited Lifetime coverage.
- Includes standard coverage against high winds and ways to acquire enhanced wind coverage.
- Several shingle types offer protection against damage caused by algae.
- There is also an option to choose a competitor's warranty terms over ours for "like" products, Your Choice.

SecureStart™ HT Limited Lifetime Warranty:

High-temperature underlayment with lifetime coverage when part of a complete roofing system.

Concrete and Clay Tile Underlayment Warranty: Offers coverage for a wide selection of underlayment options and roof slope requirements.

10-Year Limited Warranty: For individual products, both steep and low slope applications.

Limited Systems Warranty: Varied durations of coverage depending on choice of low slope roofing systems.

When multiple Malarkey products are used in a greater roofing system, warranty terms are enhanced and can be shared to cover each component. Installation must follow all applicable building code requirements, established industry standards, and Malarkey's or the primary roofing manufacturer's published installation instructions.

When applying for a material-only warranty, contact your roofing contractor, roofing material distributor, or find warranties and Warranty Registration Forms online at: WWW.MALARKEYROOFING.COM/warranties.

6.1.2 **ROOFING SYSTEM WARRANTIES** THROUGH MALARKEY-VETTED AND APPROVED CONTRACTORS

Malarkey offers special warranties through roofing contractors who have gained Malarkey affiliation through a rigorous approval process, proved they can apply roofs in a conscientious manner, and utilize only Malarkey roofing products for their projects. We have two such programs:

- Certified Residential Contractors
- Commercial Approved Applicators

6.2 **MALARKEY CERTIFIED RESIDENTIAL CONTRACTORS**

The mission of the Certified Residential Contractor (CRC) Program is a shared value focus, bringing together homeowners needing a new roof with local, factory trained installers using quality Malarkey roofing products. An eligible Secure Choice™ Roofing System (SCRS) consists entirely of Malarkey shingles and accessory products.

The CRC Program offers numerous advantages: providing confidence to the homeowner that the contractor is trained, experienced, and knowledgeable; uses only the best roofing materials; and has distinguished themselves by the quality of their work.

Malarkey supports the CRC in this role with multiple tools: training, an online Program Guide (w/installation instructions), co-branded marketing materials, a finance program, and exclusive Emerald Warranties (see sample warranties later in this chapter).

A roofing contractor must qualify to become a CRC, and there are two levels, Emerald Pro and Emerald Premium.

6.2.1 **EMERALD PRO CONTRACTOR**

- Nominated and vetted by a Malarkey sales rep.
- Licensed, bonded, and insured (\$1 million)
- At least three (3) years in business
- In good standing with the Better Business Bureau (BBB) and state Construction Contractors Board, Association, etc.
- Conformance to local building codes and regulations
- Established safety program conforming to OSHA standards
- Completion of Malarkey's Steep Slope Roofing Excellence training

The Emerald Premium Warranty also covers workmanship. See the warranty terms later in this chapter.



Passed Malarkey's Steep Slope application test

Contractors at this level can offer exclusive, material-only **Emerald Pro Warranties**. An eligible SCRS consists of Malarkey shingles, three (3) or more Malarkey accessory products, and includes coverage for low slope roofs when part of the greater roofing system. Enhanced wind warranty coverage is standard.

6.2.2 EMERALD PREMIUM CONTRACTOR

- Nominated by Malarkey sales rep.
- Licensed, bonded, and insured (\$1 million)
- At least five (5) years in business
- Must have 90% or an "A" BBB customer satisfaction rating
- Three (3) references for work completed in last year for inspection
- Conformance to local building codes and regulations
- Established safety program conforming to OSHA standards
- Participant in the CRC Program at least one year prior to nomination for Premium level

Contractors at this level can offer exclusive **Emerald Premium Warranties**, which offer customers a combination of material warranty, *workmanship* warranty, and even coverage for low slope roofs when part of the greater roofing system. An eligible SCRS consists entirely of Malarkey shingles and accessory products. Enhanced wind warranty coverage is standard.

Additional information is available on our website at:

WWW.MALARKEYROOFING.COM/professionals/certified-residential-contractor-program.

Once in the program, contractors will be issued login information to access the exclusive CRC Portal.

6.2.3 EMERALD PREMIUM PROJECTS 200 SQUARES OR MORE

Given their size, Emerald Premium warrantied projects of 200 squares or more are applied-for differently from projects less than 200 squares. The process for successfully receiving an Emerald Premium Warranty for projects of this size are as follows:

1. Using the link in the CRC portal online, submit a completed *Emerald Premium Steep Slope Warranty Application* two (2) weeks *prior* to the start of the project, with plans, specs and details.

Warranty applications can also be obtained from your area Malarkey sales rep or by contacting our Technical Services Department.

- Malarkey Technical Services will review the application and contact the contractor as needed.
- 3. Once reviewed and pre-approval granted, Tech Services will notify the contractor.
- An initial inspection is required at the beginning of a project. A Malarkey inspector will contact the Emerald Premium contractor to coordinate the inspection.
- 5. Additional inspections may be required during the project and once the project is completed.
- 6. With the project finished, final inspections conducted and approved, and the remaining warranty fee paid, the warranty will be issued to the Emerald Premium contractor.

Other Considerations

- Failure to submit an application prior to job start may result in additional warranty fees or non-issuance of a warranty.
- Contractors are required to pay 50% of the warranty registration fee at the time of initial warranty application. The remaining amount is due at the time of warranty issuance.

6.3 MALARKEY COMMERCIAL APPROVED APPLICATORS

Malarkey *Commercial Approved Applicators* (CAA) must go through a number of qualifying steps in order to earn the designation:

- A background check that covers the roofer's business practices
- Inspection of Malarkey roofing system installations, both in progress and completed
- Knowledge their roofing crews are trained and understand Malarkey specifications and the information contained in this manual

Malarkey's Technical Services and Sales Departments make every effort to keep roofing crews up to date with the latest revisions to the Malarkey Product Data Guide, Specification Manual, individual installation instructions, and new products being developed.

6.3.1 NO DOLLAR LIMIT WARRANTIES

Commercial Approved Applicators can offer *No Dollar Limit* (NDL) roofing system warranties for both low and steep slope roofing systems. NDL warranties cover materials and workmanship with no dollar limit but have specific contractor, material, and installation requirements that must be followed.



Upon issuance of the warranty, Malarkey also includes our standard *Maintenance & Repair Guidelines* which outline procedures for:

- Periodic inspections and inspection practices
- What to look for: Areas prone to deterioration
- Reporting roof issues
- Roof repair (the CAA who installed the roof is responsible to undertake remedial repairs for a 2-yr. period)
- Building alterations and modifications

6.3.2 WARRANTY CHARGES

Contact Malarkey's Technical Services Department or local sales representative for current NDL warranty charges which may include:

- Administration fees needed to process the warranty
- Roofing project inspection fees (if inspections required)
- Travel expenses needed to conduct these inspections

6.3.3 THE WARRANTY PROCESS

Two weeks prior to project start date, the Malarkey Commercial Approved Applicator fills out a warranty application form, including a detailed roof plan and specifications, and submits it via email to Malarkey's Technical Services Department. Failure to do so may result in additional warranty fees or rejection of the warranty application.

The information is carefully reviewed, approved, and entered into the Warranty Database.

The approved warranty application form is then emailed to the roofing contractor, along with the warranty fee invoice.

Upon receipt of *half* the warranty fee up front, Malarkey will give notice for the project to proceed. An interim inspection date may be required for a Malarkey Roofing representative to visit the job site. The inspector will evaluate the work in progress and address any aspect in need of correction.

Following notice of job completion, a final inspection is ordered and conducted.

Once items in need of correction are resolved in a manner acceptable to Malarkey's Technical Services Department and warranty fee paid, the warranty is printed, signed, and sent to the roofing contractor.

6.3.4 INSPECTIONS

Normally, Malarkey will order inspections only for roof installations in process of being granted an NDL Warranty. Commercial Approved Applicators are responsible for scheduling inspections at the completion of the project and then again in two (2) years.

Malarkey reserves the right to waive inspection(s) on a warrantied roof when, in Malarkey's opinion, an inspection is not necessary or the location too remote from our company location or representatives. In such cases, the owner or designer can request a special inspection for which an additional charge may be made.

The purpose of an inspection conducted by Malarkey representatives is to gather information, address the present condition of the roofing system, and determine whether or not the installation is still eligible for the warranty.

6.4 IN CONCLUSION

Malarkey Roofing Products® is grateful to be your product manufacturer and offer the warranty protections shown in this chapter. For more information, call our Technical Services Department weekdays at (800) 545-1191 or (503) 283-1191, 7:00 am to 5:00 pm, Pacific Time. You can also email us at: malarkey.technicalinquiries@holcim.com. Thank you.

6.5 SAMPLE WARRANTIES, FORMS AND APPLICATIONS

See pages following.





Shingle & Accessory Guide LIMITED LIFETIME WARRANTY

Available with select shingles. Please refer to warranty for details.







Thank you for choosing Malarkey Roofing Products® (Malarkey) shingles for your recent, home roofing project.

All of our shingles come with a product warranty (see Table 1 on the next page for a complete listing), as well as the optional Accessory Products used as part of the roof system installation. Malarkey Accessory Products include:

- Right Start® UDL and Secure Start® line of synthetic field underlayments
- Arctic Seal® and Secure Start® HT self-adhering underlayments
- Smart Start® starter shingles
- Malarkey Hip and Ridge Shingles (EZ-Ridge® and RidgeFlex®)¹

Warranties can be hard to understand, so if you have any questions, refer to our website at www.malarkeyroofing.com/warranties, or contact our Warranty Services Department by phone at [800] 545-1191, 7:00 am to 5:00 pm Pacific Time, or email: malarkey.warrantyinquiries@holcim.com.

Malarkey Roofing Products® warranties stand with any in the industry. Highlights of our coverage include:

- A Right Start™ Period: Every Malarkey warranty begins with a multi-year, non-prorated warranty period designed to protect your shingle investment and get it off to a good start. During this initial period shingles do not depreciate, and you enjoy 100% warranty coverage.
- Transferability: A warranty transfer is allowed within 60 days of the change in ownership of the house (see TRANSFERABILITY section).
- Enhanced Wind Warranty Option: Every Malarkey warranty includes protection against high winds and increases when you install a roofing system of Malarkey shingles and accessory products.
- Scotchgard™ Protector: Malarkey shingles that feature Scotchgard™ Protector from 3M™ also enjoy Limited Lifetime Warranty coverage against discoloration or staining due to blue-green algae growth.
- Your Choice Warranty Option: If you prefer another manufacturer's limited warranty to Malarkey's limited warranty for a similar product, we will honor their terms and conditions.

LIMITED LIFETIME WARRANTY

Most Malarkey shingles come with a Limited Lifetime Warranty against manufacturing defects that adversely affect the performance of the shingle. It is offered to individual homeowners who first had the shingles installed on the single family, detached house they use as their primary residence. "Lifetime" coverage is in effect as long as you, the original owner or eligible subsequent owner [following a successful warranty transfer], maintain as their primary residence, the house where the Malarkey shingles and accessories were installed.

When Malarkey Limited Lifetime Warrantied shingles are installed with two or more of the Malarkey Accessory Products listed above, those accessory items are also covered by the Limited Lifetime Warranty. Windsor* Starter shingles are not an accessory because they are required in Windsor* shingle installations and therefore covered by the Windsor* shingle warranty.

Other types of properties excluded from Lifetime coverage include houses no longer maintained by the original property owner or eligible subsequent owner as their primary residence, churches, schools, apartment buildings, condominiums, cooperative housing arrangements or buildings owned by corporations, trusts or government entities. These types of dwellings are limited to the warranty period listed in Table 1 under TERM [NOT PRIMARY RESIDENCE].

RIGHT START™ PERIOD

Malarkey roofing products are manufactured to very high standards, and because of this, every shingle listed in Table 1 starts with an initial, non-prorated Right Start™ Period of 7 to 20 years, depending on the product, that states:

If the shingles are found to have manufacturing defects that adversely affect the performance of the shingle, Malarkey will either repair, replace or pay for installation of new shingles plus a reasonable cost for underlayment and other materials.

No payment will be made for tear-off or disposal of old roofing. Malarkey's maximum liability under this warranty shall be equal to the dollar limit (per square* of material) expressed in Table 1, plus reasonable installation costs as defined by RS Means*2. Given the situation, Malarkey retains the right to fulfill its obligation by providing replacement materials only. Malarkey will not be responsible for the cost of removal and replacement of any rooftop appurtenances or equipment installations in order to conduct repairs for valid claims, such as, but not limited to, solar panels.

^{*} Square is a roofing term for the amount of material it takes to cover a 10-ft. by 10-ft. area of roof.

¹ Some contractors adapt 3-tab shingles to use as hip and ridge shingles. Dura-Seal* AR 3-tab shingles are allowed as hip and ridge shingles but only when the field shingles are also Dura-Seal* AR.

² RS Means", a product line of Reed Construction Data, is North America's leading supplier of construction cost information. Visit www.rsmeans.com.



COVERAGE BEYOND THE RIGHT START™ PERIOD

Once the Right Start[™] Period has passed, shingle values for the purpose of replacement are now prorated, decreasing each month by a certain percentage based on the number of months in their warranty, or term. For example, the Vista* shingle has a term of 40 years. Multiple that by the number of months in a year (12), and you get 480 months. Vista's depreciation rate, expressed in the column, REDUCTION PER MONTH (see Table 1), is therefore, 1/480.

Another way to think about it is the dollar limit per square of shingles, reduced by the number of months the shingles have been on the roof.

Example 1: A claim for 40 squares of Vista® shingles that was settled 12 years after installation –

- A = number of affected squares: 40
- B = initial dollar limit/SQ: \$80
- C = the number of months that remain on the warranty: 480 (length of the term x 12 months/yr.) minus 144 (12 years shingles were on the roof x 12 months/yr.) = 336 months
- D = length of the term = 480 months
- Prorated warranty value: $[A \times B \times C] \div D = [40 \times 80 \times 336] \div 480 = 2.240

Any costs in excess of the prorated adjustment are the owner's responsibility. If money was already paid under the warranty, the prorated warranty value will be reduced by that amount.

Limited Lifetime Warranty shingles, however, stop depreciating when they reach 80% of their term. Back to our example of the Vista" — its term is 40 years, or 480 months. 80% of 480 months is 384 months; therefore, the Vista" stops depreciating after 32 years [384 \div 12 = 32].

TABLE 1

			TABLE I				
SHINGLE	TERM	TERM (NOT PRIMARY RESIDENCE)	WIND MPH (KPH)	ENHANCED WIND# (KPH)	RIGHT START™ PERIOD [NON-PRORATED]	DOLLAR LIMIT/SQ	REDUCTION PER MONTH*
3-TAB SHINGLES							
Dura-Seal® AR	300 Months	25 years	60 (97)	70 (113)	7 years	\$65	1/300
LAMINATE SHINGLES							
Highlander® / Highlander® AR	Lifetime	40 years	110 (177)	130 (209)	10 years	\$75	1/480
Ecoasis*	Lifetime	40 years	110 (177)	130 (209)	10 years	\$90	1/480
Vista® / Vista® AR	Lifetime	40 years	110 (177)	130 (209)	15 years	\$85	1/480
Legacy® / Legacy® 💆	Lifetime	50 years	110 (177)	130 (209)	20 years	\$95/\$100	1/600
Ecoasis® Premium 👼	Lifetime	50 years	110 (177)	130 (209)	20 years	\$160	1/600
DESIGNER SHINGLES							
Windsor"	Lifetime	50 years	110 (177)	140 (225)	20 years	\$200	1/600

 $^{^{\}scriptsize{\dag}}$ See the Limited Wind Warranty & Enhanced Wind Warranty section for details.

ACCESSORY WARRANTIES (FOUR VARIATIONS)

- When you install two or more Malarkey Accessory Products [listed on page 1] with any brand of Malarkey Limited Lifetime Warranty shingles, those accessory products carry the same Limited Lifetime Warranty along with its Right Start™ Period.
- 2. When you install one Malarkey Accessory Product with any brand of Malarkey Limited Lifetime Warranty shingles, that accessory product carries a 20-year warranty against manufacturing defects and a Right Start™ Protection Period of 5 years.
- 3. When you install one or more Malarkey Accessory Products with any Malarkey Non-Limited Lifetime Warranty shingle [i.e., Dura-Seal* AR], those accessory products carry a 10-year warranty against manufacturing defects and a Right Start™ Protection Period of 5 years.
- Installed separately (for example, as part of a competitor's roof system), every Malarkey Accessory Product carries a 10-year warranty against manufacturing defects.

LIMITED WIND WARRANTY & ENHANCED WIND WARRANTY

Malarkey shingle warranties include two types of wind warranties: a Limited Wind Warranty and an Enhanced Wind Warranty, and both protect against damage to shingles from high winds (i.e., shingle blow-off) for a period of 15 years.

Terms and Conditions: Malarkey's wind warranties apply only when shingles are properly adhered, whether by hand-sealing with asphalt roof cement conforming to ASTM D4586 or by activation of the shingles' self-sealing strips.

The Limited Lifetime Warranty covers Malarkey shingles up to the wind speeds in **Table 1**, **column Wind**.

The Enhanced Wind Warranty covers Malarkey shingles up to the wind speeds in Table 1, column Enhanced Wind.

^{*} The shingle's depreciation rate per month following expiration of the Right Start™ Period.



In addition to the Limited Lifetime Warranty conditions, Enhanced Wind Warranty roof systems must also include application of Malarkey Smart Start* starter shingles, and either of Malarkey's Hip and Ridge shingles [EZ-Ridge* or RidgeFlex*]³.

Malarkey's maximum liability under wind warranties is, at its option, to repair or replace blown-off shingles (including materials and labor), hand-seal (or have hand-sealed) the shingles at our expense, or pay the owner an amount not exceeding the dollar limits expressed in Table 1, plus reasonable installation costs as defined by RS Means." No amount shall be paid for removal or disposal of damaged shingles.

LIMITED ALGAE RESISTANT ROOFING SYSTEM WARRANTIES

Malarkey offers two shingle warranties against damage due to discoloration caused by the development of blue-green algae (primarily the cyanobacteria Gloeocapsa spp), and both require Malarkey algae resistant hip and ridge shingles (EZ-Ridge or RidgeFlex) featuring Scotchgard™ Protector from 3M™5.

The first warranty shares the same Limited Lifetime Warranty coverage offered on those Malarkey field shingles that feature Scotchgard™ Protector from 3M, subject to the conditions and limitations listed below.

The payment to the owner for those shingles that exhibit discoloration due to blue-green algae will be an amount not exceeding the dollar limits expressed in Table 1 and reasonable installation costs for your area as defined by RS Means*. Malarkey's maximum liability under this warranty is, at its option, to repair or replace the defective shingles or pay the owner an amount not exceeding the dollar limits expressed in Table 1 and reasonable installation costs as defined by RS Means*.

The second warranty covers Malarkey's Algae Resistant (AR) shingles.

These shingles are listed in Table 1 in the first column, and have "AR" after their name. These shingles are warrantied against discoloration or staining due to blue-green algae growth, with a prorated settlement after five [5] years [60 months]. AR shingles and terms include:

SHINGLE	ALGAE WARRANTY TERM
Vista® AR	15 years
Highlander® AR	10 years
Dura-Seal® AR	5 years

For claims within the first five years meeting all warranty requirements, the payment to the owner for those shingles that exhibit discoloration due to blue-green algae will be an amount not exceeding the dollar limits expressed in Table 1 and reasonable installation costs for your area as defined by RS Means*.

After the first five [5] years [60 months], the settlement is prorated, and Malarkey may, at its discretion, repair, replace or offer a labor payment to cover the reasonable cost for cleaning the affected shingles. The maximum payment under this warranty will be prorated based upon the number of months the shingles have been installed on the roof up to the maximum warranty period. After the warranty period expires, there is no remedy for algae on AR shingles.

Malarkey's maximum liability for blue-green algae is, at its option, to repair or replace the defective shingles or pay the owner an amount not exceeding the dollar limits expressed in Table 1 and reasonable installation costs as defined by RS Means* (prorated after 60 months).

TRANSFERABILITY

During the Right Start™ Period, these warranties may be transferred, but only by the original property owner to the first subsequent owner, after notification to Malarkey as described below. If the transfer takes place within the Right Start™ Period, the eligible new owner is entitled to the balance of the original warranty and Right Start™ period. "Lifetime" warranty coverage is transferable as long as the subsequent owner maintains the home as their primary residence. If the transfer occurs after the Right Start™ Period, the warranty to the subsequent owner will be limited to two [2] years from the date of the real estate title transfer. Warranty coverage will be as stated in the COVERAGE BEYOND THE RIGHT START™ PERIOD section.

To transfer the warranty, the current holder of the warranty must notify Malarkey's Warranty Services Department (see the CLAIMS PROCEDURE section) in writing within sixty (60) days from the date the title of the property was changed. We will either send you a Shingle Warranty Transfer document to fill out or simply request you provide us with the following information:

- The name, address and phone of the current holder of the warranty
- The date of the original, completed installation
- Proof of purchase
- The address where the shingles were installed
- The name and address of the new owner, and
- The date of title transfer

If Malarkey is not notified of the transfer as outlined above, the warranty shall not transfer, and Malarkey will have no further liability of any nature to the warranty holder.

EXCLUSIONS

The Limited Lifetime Warranty covers only manufacturing defects in Malarkey shingles that adversely affect the performance of the shingle. It covers the asphalt shingle products listed in Table 1 that are sold and installed in the U.S. and Canada. Warranty claims that Malarkey determines are cosmetic in nature are not considered manufacturing defects. The warranty does not cover other products such as flashing and metal work or damage to shingles attributable in whole or in part to other causes including, but not limited to:

- Improper fastening or installation not in accordance with Malarkey's written instructions
- Improper ventilation
- Improper transportation, storage, or handling of shingles and/or accessories
- Defects in, or failure of, flashing or metal work or material used as a roof face over which shingles are applied

³ Dura-Seal® AR shingles used for hip and ridge will qualify for Enhanced Wind Warranty coverage but only when Dura-Seal® AR is also the field shingle.

⁴ Dura-Seal* AR shingles used for hip and ridge will satisfy the requirements of algae resistance coverage but only when Dura-Seal* AR is also the field shingle.

 $^{^{\}text{\tiny 5}}$ Scotchgard $^{\text{\tiny M}}$ and $3\text{M}^{\text{\tiny M}}$ are trademarks of the 3M Company.



- Penetrations of the roofing system for installation of rooftop appurtenances (solar panels, satellite dishes, stovepipes, etc.), structural changes, or other alterations to the roof after application of the shingles
- Inordinate traffic on the roof for any reason (equipment installation/ removal, moss and debris removal, gutter cleaning, etc.)
- Settlement, movement, distortion, failure or cracking of the roof decks, walls or foundations of the building
- Damage to shingles, roof deck, or structure due to ice damming or water backup
- Variation in color (shading) which may occur from the positioning
 of colored granules on the shingles. Shading or discoloration of
 shingles or ridges due to algae (excluding AR or Scotchgard™
 shingles as described in the Limited Algae Resistant Roofing
 System Warranties section)
- Deterioration or distortion caused by moss, mold, mildew, or other vegetation, organic compounds, paints, chemicals, or similar materials
- Granule sloughing due to excessive granules on the shingles
- Impact of foreign objects
- Violent or unusual weather conditions, such as flooding, tornadoes, hailstorms, winds in excess of Wind Speed Limits (Table 1), or other "Acts of God"
- Fire, acts of vandalism, and other, similar occurrences

Color Match. Malarkey reserves the right to discontinue or modify any shingles or accessories, including the colors offered; therefore, replacement shingles due under the warranties may not be an exact match. Even if the same color and style of shingle or accessory is available, the product may not appear to be an exact match to the existing shingles or accessories due to normal weathering, aging, and other factors.

Wind Warranties. Shingles that come with a factory-applied self-sealing strip must be subjected to sunlight for several days before full sealing can occur. Shingles installed in fall or winter may not seal until the following spring; consequently, the shingles should be hand-sealed. Shingles which do not receive direct sunlight or are not exposed to adequate surface temperatures may never seal. This is the nature of the shingles, and failure to seal down under such circumstances is not a manufacturing defect.

If any self-sealing shingles exposed to adequate temperatures and direct sunlight fail to activate the self-sealing strips during the first year after application, Malarkey will have no liability under this warranty for such defects unless proper written notification has been made prior to the end of the first year after installation and Malarkey has been allowed the opportunity to hand-seal any non-sealed shingles at its own expense. Malarkey will not be responsible for the cost of removal and replacement of any rooftop appurtenances or equipment installations in order to conduct repairs for valid claims, such as, but not limited to, solar panels.

CLAIMS PROCEDURE

 Warranty claims shall be made in writing by certified or registered mail to the address below and accompanied by proof of purchase.
 Warranty claims must be made within 30 days of discovery and prior to any repairs being made.

Malarkey Warranty Services Department P.O. Box 17217 Portland, OR 97217

- Malarkey will be given the opportunity to inspect the roof and be provided with samples before any steps are taken to repair the roof.
 Any repairs made prior to or during the investigation period without Malarkey's prior written approval will be at the owner's expense.
- 3. Malarkey may require you to send us, at your expense, photographs and/or sample shingles or accessories for testing.
- 4. After verification the shingles are defective, Malarkey will perform its obligations under these warranties within forty-five [45] days of receipt of notice, unless performance is delayed by circumstances beyond Malarkey's control. Any cost in excess of the prorated adjustment will be the owner's responsibility.

SOLE AND EXCLUSIVE WARRANTY

THE APPLICABLE LIMITED WARRANTY IS THE ONLY EXPRESS AND/OR IMPLIED WARRANTY MADE BY MALARKEY IN CONNECTION WITH THE SALE OF ITS PRODUCTS. NO REPRESENTATIVE OF MALARKEY OR ANY OTHER PERSON HAS ANY AUTHORITY WHATSOEVER TO ACCEPT FROM OR FOR MALARKEY, ANY ADDITIONAL OR DIFFERENT LIABILITY OR RESPONSIBILITY FOR MALARKEY PRODUCTS.

MALARKEY SHALL NOT BE LIABLE FOR DAMAGE TO ANY BUILDING OR CONTENTS OR INJURY TO PERSONS OR FOR ANY CONSEQUENTIAL DAMAGES RESULTING FROM BREACH OF THE WARRANTY OR ANY OTHER WARRANTY OR CONDITION, IMPLIED BY LAW OR OTHERWISE, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS. SOME STATES AND PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES; THIS EXCLUSION MAY NOT BE APPLICABLE IN ALL STATES AND PROVINCES. THIS WARRANTY GIVES SPECIFIC LEGAL RIGHTS; THERE MAY BE OTHER RIGHTS THAT VARY STATE TO STATE AND PROVINCE TO PROVINCE.

This warranty gives the warranty holder specific legal rights and there may be others depending on the state or province. Some states and provinces do not allow these exclusions, limitations, and incidental or consequential damages, so these may not apply to your situation. These Limited Warranties may not be modified or changed except in writing and signed by an officer of Malarkey. No one (other than an officer of Malarkey) has the authority to assume any additional liability or responsibility for Malarkey in connection with the shingles and accessories except as described above.

THE PARTIES AGREE THAT ANY CLAIM, DISPUTE, OR CONTROVERSY RELATING TO OR ARISING FROM THIS WARRANTY SHALL BE SUBMITTED TO BINDING ARBITRATION UNDER THE RULES OF THE AMERICAN ARBITRATION ASSOCIATION (OR OTHER MUTUALLY ACCEPTABLE ARBITRATOR) THEN IN EFFECT. The expenses of the arbitration shall be allocated among the parties by the arbitrator(s) as part of the award, which shall include the prevailing party's reasonable attorneys' fees and costs, including expert fees. THIS IS A BINDING ARBITRATION PROVISION THAT MAY BE ENFORCED BY THE PARTIES.



The limited warranty in effect at the time the affected shingles were installed is the only express and/or implied warranty made by Malarkey in connection with the sale of its products. The terms and conditions contained therein shall constitute the entirety of your limited warranty, regardless of any future revisions of warranty terms for later-installed shingles. Please do not rely on any sample warranty available on Malarkey's website or elsewhere whose terms and conditions may differ from those contained in the warranty in effect for your shingles. Please contact our Warranty Services Department at (800) 545-1191 or malarkey.warrantyinquiries@holcim.com to obtain a copy of the limited warranty applicable to your shingles.

Malarkey reserves the right to discontinue or modify any of its products, including the color blend of said shingles, without notice to the owner and shall not be liable to the owner as a result of this modification or discontinuance.

YOUR CHOICE WARRANTY OPTION

If you prefer another manufacturer's limited warranty coverage for "like" products rather than Malarkey's limited warranty, you may elect to have Malarkey honor the terms and conditions of our competitor's limited warranty in place of Malarkey's limited warranty. To do this, you must select another manufacturer's limited warranty coverage, and Malarkey will then provide limited warranty coverage based on that competitor's current published limited warranty at the time of purchase.


Thank you again for choosing Malarkey Roofing Products". Enjoy your new roof.

Mailing Address:

P.O. Box 17217 Portland, OR 97217

Office: 503.283.1191 | 800.545.1191 | Fax: 503.289.7644 www.MalarkeyRoofing.com

Rev. 01/24













Thank you for choosing MALARKEY ROOFING PRODUCTS®

to protect your home, and help preserve our environment.







SEGURE START® HT

LIMITED LIFETIME WARRANTY

Thank you for your purchase of Malarkey Roofing Products® (Malarkey) **Secure Start® HT** underlayment. Malarkey offers a LIMITED LIFETIME WARRANTY to you, the original owner (not the contractor or builder), against manufacturing defects that adversely affect the performance of the product and cause leaks attributable to the Secure Start® HT.

"Lifetime" coverage is subject to the conditions and limitations listed below and is in effect as long as you, the original owner, maintain as your primary residence, the property where Secure Start® HT was installed¹.

When applied as part of a complete roofing system, Secure Start® HT carries a LIMITED LIFETIME WARRANTY as the underlayment under the primary roof covering². The roofing system must be applied by a state-licensed roofing contractor, and installation must follow all applicable building code requirements, established industry standards, and Malarkey's or the primary roofing manufacturer's published installation instructions. Any difference in installation instructions between Malarkey and the primary roofing manufacturer's instructions must be approved by Malarkey.

For any portion of the Malarkey underlayment that does not perform as stated above, after inspection by Malarkey's authorized representative and a positive determination of material defect, Malarkey will either reimburse the original purchase price or provide replacement materials of equal quality and value. Malarkey reserves the right to repair or replace Secure Start® HT instead of reimbursing the owner for the underlayment. The remedy under this warranty is available only for that portion of your Malarkey underlayment exhibiting defects. The replacement Malarkey underlayment, as well as any remaining original Malarkey underlayment, will be warrantied only for the remainder of the original warranty period.

For a Malarkey underlayment installed more than 10 years, replacement shall be prorated based upon the number of months the underlayment has been installed on the roof.

TRANSFERABILITY

This warranty is not TRANSFERABLE OR ASSIGNABLE by contract or operation of law, either directly or indirectly.

EXCLUSIONS

This warranty covers only manufacturing defects in Malarkey products which result in leaks. This warranty covers Secure Start® HT sold and installed in the U.S. and Canada. It does not cover other products such as roof covering, flashing and metal work or damage to products attributable in whole or in part to other causes including, but not limited to:

- Improper installation not in accordance with Malarkey installation instructions, the instructions of the primary roof covering manufacturer, building code and local amendments, and established industry standards and practices
- Leaks caused by the application of fasteners, including installation of the primary roof covering and rooftop appurtenances
- Improper ventilation
- 4. Improper storage or handling
- 5. Inordinate traffic on or over the roof prior to application of the primary roof covering
- Exposure to the weather if uncovered for more than six (6) months prior to application of the primary roof covering
- Defects in, or failure of the primary roof covering, flashing or metal work, under which Malarkey products are applied
- Equipment installations, structural changes or other alterations to the roof after application of Malarkey products, including painting or the application of cleaning solutions, coatings or other modifications
- Settlement or distortion, failure or cracking of the roof decks, walls or foundation of the building
- 10. Impacts of foreign objects
- Violent or unusual weather conditions such as tornadoes, hailstorms, high winds, floods and other extreme forces of nature, Acts of God, etc.
- 12. Fire, acts of vandalism, and other, similar occurrences
- 13. Replacement of the original roof covering
- Any costs you incur which are not authorized in advance by Malarkey

CLAIMS PROCEDUR

 Warranty claims shall be made in writing by certified or registered mail to the address below and accompanied by proof of purchase. Warranty claims must be made

¹ Should this situation change and the property no longer the owner's primary residence, the terms of the warranty will revert to terms in our 10-Year Limited Warranty and prorated based upon the amount of time Secure Start® HT has been on the roof.

² A LIMITED LIFETIME WARRANTY is also available when Secure Start® HT is installed with a qualified selection of Malarkey composition shingles. Please see our Shingle & Accessory Warranty at WWW.MALARKEYROOFING.COM/warranties for details.



within 30 days of discovery and prior to any repairs being made.

Malarkey Warranty Services Department P.O. Box 17217 Portland, OR 97217

- Malarkey may require the owner to send us, at their expense, photographs and/or samples of the underlayment for testing.
- Malarkey will be given the opportunity to inspect the roof and be provided with samples before any steps are taken to repair the roof. Any repairs made prior to or during the investigation period without Malarkey's prior written approval, will be at the owner's expense.
- Malarkey will not be responsible for the cost of removal and replacement of any rooftop appurtenances or equipment installations in order to conduct repairs for valid claims, such as, but not limited to, solar panels.
- After verification the underlayment is defective, Malarkey will perform its obligations under these warranties within forty-five (45) days of receipt of notice, unless performance is delayed by circumstances beyond Malarkey's control. Any cost in excess of the prorated adjustment will be the owner's responsibility.

SOLE AND EXCLUSIVE WARRANTY

THIS LIMITED WARRANTY IS THE ONLY EXPRESS AND/OR IMPLIED WARRANTY MADE BY MALARKEY IN CONNECTION WITH THE SALE OF ITS PRODUCTS. NO REPRESENTATIVE OF MALARKEY OR ANY OTHER PERSON HAS ANY AUTHORITY WHATSOEVER TO ACCEPT FROM OR FOR MALARKEY, ANY ADDITIONAL OR DIFFERENT LIABILITY OR RESPONSIBILITY FOR MALARKEY PRODUCTS. MALARKEY SHALL NOT BE LIABLE FOR DAMAGE TO ANY BUILDING OR CONTENTS OR INJURY TO PERSONS OR FOR ANY CONSEQUENTIAL DAMAGES RESULTING FROM BREACH OF THE WARRANTY OR ANY OTHER WARRANTY OR CONDITION, IMPLIED BY LAW OR OTHERWISE, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS. SOME STATES AND PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES; THIS EXCLUSION MAY NOT BE APPLICABLE IN ALL STATES AND PROVINCES. THIS WARRANTY GIVES SPECIFIC LEGAL RIGHTS; THERE MAY BE OTHER RIGHTS THAT VARY STATE TO STATE AND PROVINCE TO PROVINCE.

This warranty gives the warranty holder specific legal rights and there may be others depending on the state or province. Some states and provinces do not allow these exclusions, limitations, and incidental or consequential

damages, so these may not apply to your situation. These Limited Warranties may not be modified or changed except in writing and signed by an officer of Malarkey. No one (other than an officer of Malarkey) has the authority to assume any additional liability or responsibility for Malarkey in connection with the shingles and accessories except as described above.

THE PARTIES AGREE THAT ANY CLAIM, DISPUTE, OR CONTROVERSY RELATING TO OR ARISING FROM THIS WARRANTY SHALL BE SUBMITTED TO BINDING ARBITRATION UNDER THE RULES OF THE AMERICAN ARBITRATION ASSOCIATION (OR OTHER MUTUALLY ACCEPTABLE ARBITRATOR) THEN IN EFFECT. The expenses of the arbitration shall be allocated among the parties by the arbitrator(s) as part of the award, which shall include the prevailing party's reasonable attorneys' fees and costs, including expert fees. THIS IS A BINDING ARBITRATION PROVISION THAT MAY BE ENFORCED BY THE PARTIES.

WARRANTY REGISTRATION

Registration of the warranty is not required to receive full stated coverage of the warranty for your product but is recommended. If you choose to register your underlayment installation, complete the online Secure Start® HT Limited Lifetime Warranty registration form by scanning the code below, or visiting: WWW.MALARKEYROOFING.COM/warranties.



The owner should retain all documents and proof of purchase of Malarkey products for submission to Malarkey for validation of claims.

Thank you for choosing Malarkey Roofing Products®.



P.O. Box 17217, Portland, OR 97217 USA 503.283.1191 | 800.545.1191 | Fax: 503.289.7644 WWW.MALARKEYROOFING.COM

Rev. 12/23





Concrete and Clay Tile Underlayment Warranty

Thank you for your purchase of Malarkey Roofing Products® (Malarkey) underlayments for your tile roof. Malarkey warrants to you, the original owner (not the contractor or builder), that the Malarkey products used on your roof will be free from manufacturing defects that cause leaks for the warranty terms listed in Table 1. The underlayment must be installed by a state-licensed roofing contractor who is a Tile Roofing Institute (TRI) Certified Installer (Approved Contractor), and installation must follow all applicable building code requirements, and TRI and Malarkey installation instructions.

For any portion of the Malarkey underlayment that does not perform as stated above, after inspection by Malarkey's authorized representative and a positive determination of material defect, Malarkey will pay the cost of either repairing or replacing your Malarkey underlayment as follows: If your Malarkey underlayment has been applied for less than 10 years, Malarkey will pay the full reasonable cost to repair or replace any of the defective underlayment, including labor to re-install the Malarkey underlayment, including tear-off, disposal, and other related work. Malarkey reserves the right to arrange directly for your Malarkey underlayment to be repaired or replaced instead of reimbursing you for such work. The remedy under this warranty is available only for that portion of your Malarkey underlayment actually exhibiting defects at the time of settlement. The replacement Malarkey underlayment, as well as any remaining original Malarkey underlayment, will be warranted only for the remainder of the original warranty period.

For a Malarkey underlayment system installed more than 10 years, the replacement shall be prorated based upon the number of months the underlayment has been installed on the roof.



EXCLUSIONS

This warranty covers manufacturing defects in Malarkey products which result in leaks. See Table 1 for warrantied products sold and installed in the U.S. and Canada. Warranty does not cover other products such as roof covering, flashing and metal work, or damage to products attributable in whole or in part to other causes including, but not limited to:

- Improper installation not in accordance with TRI, Malarkey roofing specifications/application instructions, building code and local amendments, and approved roofing practices; includes failure to install counter batten systems when battens are specified
- Improper ventilation.
- 3. Improper storage or handling
- 4. Traffic on or over the roof
- Defects in, or failure of flashing or metal work, or the primary roof covering under which Malarkey products are applied
- Damage due to cracked or broken tiles, or as a result of improper construction practices
- Equipment installations, structural changes or other alterations to the roof after application of Malarkey products, including painting or the application of cleaning solutions, coatings, or other modifications
- 8. Settlement or distortion, failure or cracking of the roof decks, walls, or foundation of the building
- 9. Impacts of foreign objects
- Violent or unusual weather conditions such as floods and other forces of nature
- 11. Fire, acts of vandalism, and other, similar occurrences
- Replacement of the original roof covering or underlayment
- Any costs you incur which are not authorized in advance by Malarkey

TABLE 1: WARRANTIED TILE UNDERLAYMENT SYSTEMS

PRODUCT(S)	SLOPE REQUIREMENT	WARRANTY TERM	REDUCTION PER MONTH ¹
Right Start® UDL - 1 Layer	4:12 or higher	10 years	N/A
Arctic Seal® or Secure Start® HT - 1 Layer	4:12 or higher	15 years	1/180
Right Start® UDL - 2 Layers	4:12 or higher	20 years	1/240
Paragon® CHROMA Cap - 1 Layer	21/2:12 or higher	15 years	1/180
 Right Start® UDL - 1 Layer + Arctic Seal® or Secure Start® HT - 1 Layer Right Start® UDL - 1 Layer + Paragon® CHROMA Cap - 1 Layer Arctic Seal® - 2 Layers Secure Start® HT - 1 Layer + Secure Start® Plus, SG or Permeable - 1 Layer 	2½:12 or higher	20 years	1/240
OmniSeal® Base/Ply + OmniSeal® Cap	21/2:12 or higher	25 years	1/300
• OmniSeal® Base/Ply + OmniSeal® Cap FR	21/2:12 or higher	30 years	1/360
¹ Reduction applicable after the first 10 years of installation.			



This warranty will not be valid until the owner of the roof completes and submits the online activation form. Please go to WWW.MALARKEYROOFING.COM and complete the online Clay and Concrete Tile Underlayment Warranty under "Warranties" (found in either the "Residential" or "Commercial" section). Warranty registration must be received by Malarkey within thirty (30) days of installation. Failure to comply with this condition shall void all warranties, express or implied, and the product shall be sold as is and without warranty.

An email confirmation of submission of your warranty will be sent. However, the owner should retain all documents and proofs of purchase of Malarkey products for submission to Malarkey as validation of their claim.

TRANSFERABILITY

The warranty may be transferred once within the first five years of the warranty, but only by the original property owner to the first subsequent owner, after notification to Malarkey within thirty (30) days of the transfer of property. If the transfer occurs within this transfer period, the second owner is entitled to the remaining balance of warranty coverage. If the transfer occurs after the transfer period, the warranty to the subsequent owner will be limited to one year from the date of the real estate title transfer.

To transfer the warranty, the current holder of the warranty must complete the online warranty transfer form found on WWW.MALARKEYROOFING.COM or contact Malarkey's Warranty Department (see Claims Procedure) in writing within thirty (30) days from the date the title of the property changed. The following information must be provided:

- The name and address of the current holder of the warranty
- 2. The date of the original completed installation
- 3. Proof of purchase
- The address where the warrantied underlayment(s) are installed
- 5. The name and address of the new owner, and
- 6. The date of title transfer

If Malarkey is not notified of the transfer as outlined above, the warranty shall not transfer, and Malarkey will have no further liability.

CLAIMS PROCEDURE

- The Approved Contractor should be contacted if there
 is a suspected problem with the underlayment. If the
 Approved Contractor believes the underlayment may
 be at fault, Malarkey should be notified within 30 days
 of discovery and prior to any repairs being made to the
 roof. The claim should be accompanied by the proof of
 purchase.
- Malarkey will be given the opportunity to inspect the roof and be provided with samples before any steps are taken to repair the roof. Any repairs made prior to or during the investigation period without Malarkey's prior written approval will be at the owner's expense.
- Malarkey will not be responsible for the cost of removal and replacement of any rooftop appurtenances or equipment installations in order to conduct repairs for valid claims, such as, but not limited to, solar panels.
- After verification the product(s) are defective, Malarkey will perform its obligations under this warranty within forty-five (45) days of receipt of notice, unless

- performance is delayed by causes beyond Malarkey's control. Any cost in excess of the prorated adjustment will be the owner's responsibility.
- Contact Malarkey's Warranty Department by phone at (800) 545-1191, 7:00 a.m. to 5:00 p.m. Pacific Time, or email malarkey.warrantyinguiries@holcim.com.

Shipments of notices or packages may be sent to:

Warranty Department Malarkey Roofing Products 3131 N. Columbia Blvd. Portland, OR 97217

THIS LIMITED WARRANTY IS THE ONLY EXPRESS AND/OR IMPLIED WARRANTY MADE BY MALARKEY IN CONNECTION WITH THE SALE OF ITS PRODUCTS. NO REPRESENTATIVE OF MALARKEY OR ANY OTHER PERSON HAS ANY AUTHORITY WHATSOEVER TO ACCEPT FROM OR FOR MALARKEY, ANY ADDITIONAL OR DIFFERENT LIABILITY OR RESPONSIBILITY FOR MALARKEY PRODUCTS.

MALARKEY SHALL NOT BE LIABLE FOR DAMAGE TO ANY BUILDING OR CONTENTS OR INJURY TO PERSONS OR FOR ANY CONSEQUENTIAL DAMAGES RESULTING FROM BREACH OF THE WARRANTY OR ANY OTHER WARRANTY OR CONDITION, IMPLIED BY LAW OR OTHERWISE, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS. SOME STATES AND PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES; THIS EXCLUSION MAY NOT BE APPLICABLE IN ALL STATES AND PROVINCES. THIS WARRANTY GIVES SPECIFIC LEGAL RIGHTS; THERE MAY BE OTHER RIGHTS THAT VARY STATE TO STATE AND PROVINCE TO PROVINCE.

THE PARTIES AGREE THAT ANY CLAIM, DISPUTE, OR CONTROVERSY RELATING TO OR ARISING FROM THIS WARRANTY SHALL BE SUBMITTED TO BINDING ARBITRATION UNDER THE RULES OF THE AMERICAN ARBITRATION ASSOCIATION (OR OTHER MUTUALLY ACCEPTABLE ARBITRATOR) THEN IN EFFECT. The expenses of the arbitration shall be allocated among the parties by the arbitrator(s) as part of the award, which shall include the prevailing party's reasonable attorneys' fees and costs, including expert fees. THIS IS A BINDING ARBITRATION PROVISION THAT MAY BE ENFORCED BY THE PARTIES.



P.O. Box 17217, Portland, OR 97217 USA 503.283.1191 | 800.545.1191 | Fax: 503.289.7644 WWW.MALARKEYROOFING.COM Rev. 12



Thank you again for choosing the Malarkey Roofing Products® underlayment system for your recent roofing project.

▶ If you choose to register your underlayment installation, complete the online Concrete and Clay Tile Underlayment
Warranty Form at:
WWW.MALARKEYROOFING.COM (found in "Warranties" in the "Residential" or "Commercial" sections).

Or fill out the attached Warranty form and send registered mail to:

Malarkey Roofing Products P.O. Box 17217 Portland, OR, 97217

Retain a copy for your records.

▶ The owner should retain all documents and proof of purchase of Malarkey products for submission to Malarkey for validation of claims.

WAKKANIY K	EGISTRATION	FURM	PLEASE PRINT OR TYPE				
		Installation Date:					
Building Owner Name:		Phone:					
Address:	City: _	State/Prov.:	ZIP/PC:				
Owner e-mail:							
Project Name:							
Address:	City: _	State/Prov.:	ZIP/PC:				
	PRIMARY RO	OF COVERING:					
□ Clay Tile	□ Concrete Tile	□ OTHER:					
Number of Squares:		Roof Slope:					
Installer Contact Name:		Phone:					
Address:	City: _	State/Prov.:	ZIP/PC:				
Installer Company Name: _		Phone:					
State License Number:		-					
MALARKEY UNDERLAYMEN	IT(S) INSTALLED (please check one)						
	UNDERLAYM	ENT SYSTEMS					
□ Right Start® UDL - 1 L	ayer	□ Arctic Seal® - 2 Layers					
□ Right Start® UDL - 2 L	ayers	□ Secure Start® HT - 1 Layer - Secure Start® Plus, SG or P					
□ Right Start® UDL - 1 La Arctic Seal® or Secure \$		□ Paragon® CHROMA Cap -	1 Layer				
□ Right Start® UDL - 1 La Paragon® CHROMA Ca		□ OmniSeal® Base/Ply + OmniSeal® Cap					
□ Arctic Seal® or Secure	Start® HT - 1 Layer	□ OmniSeal® Base/Ply + OmniSeal® Cap FR					
	PRIMARY RO	OF COVERING:					
□ Clay Tile	□ Concrete Tile	□ OTHER:					
Number of Squares: Roof Slope:							

UNDERLAYMENT SYSTEMS

MALARKEY UNDERLAYMENT(S) INSTALLED (please check one)

□ Right Start® UDL - 1 Layer

____ City: ____

Installer Contact Name: ____

Installer Company Name: _

State License Number: __

- □ Right Start® UDL 2 Layers
- □ Right Start® UDL 1 Layer + Arctic Seal® or Secure Start® HT - 1 layer
- □ Right Start® UDL 1 Layer + Paragon® CHROMA Cap - 1 layer
- □ Arctic Seal® or Secure Start® HT 1 Layer
- □ Arctic Seal® 2 Layers
- □ Secure Start® HT 1 Layer + Secure Start® Plus, SG or Permeable - 1 Layer
- □ Paragon® CHROMA Cap 1 Layer
- □ OmniSeal® Base/Ply + OmniSeal® Cap
- □ OmniSeal® Base/Ply + OmniSeal® Cap FR

Phone:

Phone:

___ State/Prov.: ____ ZIP/PC: ___

Rev. 12/23





10-Year Limited Warranty

Subject to the conditions and limitations set forth below, Malarkey Roofing Products (Malarkey) warrants to the owner of the Malarkey products named below that such products are free from actual manufacturing defects and will remain serviceable under normal conditions of intended use for ten (10) years from the date of completion of their proper application.

In the event any such Malarkey products are shown to have actual manufacturing defects that cause leaks, Malarkey, at its sole election, shall either (a) replace such materials; or (b) repair any water leaks up to the maximum liability described below; or (c) provide a refund up to the maximum liability described below. The maximum liability for cost of repairs or for any refund shall be as follows: During the first year following completion of application, the maximum liability shall be equal to the original cost of the defective Malarkey products, excluding installation costs or costs of flashings, metal work or other materials supplied or manufactured by others. After the first full year, and during each subsequent year, maximum liability shall be equal to the original cost of the defective Malarkey products, excluding the items described in the preceding sentence, multiplied by the number of full years of the warranty period remaining and divided by ten (10). In any event claimed, all costs previously incurred by Malarkey for repair or replacement of Malarkey products or for any refund under this warranty shall be deducted in determining the maximum liability.

Malarkey will not be responsible for the cost of removal and replacement of any rooftop appurtenances or equipment installations in order to conduct repairs for valid claims, such as, but not limited to, solar panels.

In the event Malarkey elects not to replace any defective Malarkey products, or provide repair, or repairs are not commercially practicable or cannot be timely made, Malarkey shall have the right to elect to refund the owner an amount equal to the maximum liability as determined in accordance with the preceding paragraph.

In order to obtain any remedy under this limited warranty, the owner must notify Malarkey of any defect within 72 hours following discovery of such defect, the owner must confirm such notice in writing and the written notice must be received by Malarkey within ten (10) days of the date of discovery. The owner shall submit with such notice proof of date of purchase and completion of proper application in order to provide Malarkey an opportunity to investigate the claim and examine the materials claimed to be defective. All notices shall be given to Malarkey Roofing Products, P.O. Box 17217, Portland, Oregon 97217. After receipt of written notice, including all of the required information described above, Malarkey shall then inspect the claimed defect before determining whether it will replace, repair or refund. The owner's failure to give notice as required in this paragraph or to permit inspection or sampling of the Malarkey Roofing Products shall constitute a waiver by the owner of all warranty claims. Malarkey reserves the right to discontinue or modify any of its products and shall not be liable to the owner as a result of any such discontinuance or modification.

LIMITATIONS

Malarkey shall have no liability under this warranty for:

- Defects or failure of, or damage caused by, materials used as roofing base over which the Malarkey roofing products are applied
- Damage to the roof caused by settlement, distortion, ponding water, failure or cracking of the roof deck, walls or foundation of the building.
- Damage caused by traffic upon, or storage of materials upon the roof.
- Damage caused by any severe weather, including but not limited to lightning, tornado, hail, flood, earthquake, or wind storms.



- Damage caused by fire, explosion, earthquake, chemicals, solid objects falling on the roof, radiation, or any other cause except ordinary wear and tear of the elements.
- Defects, damage to, or failure of flashing, metal work, or other material furnished by others.
- Defects or failure caused by improper installation not in accordance with Malarkey's published instructions, building code and local amendments, and approved roofing practices.
- 8. Improper ventilation.
- Penetrations of the roofing system for installation of rooftop appurtenances (solar panels, satellite dishes, vent pipes, etc.), structural changes, or other alterations to the roof after application of Malarkey roofing products.
- 10. Ponding water.
- Damage to the roof due to any causes other than inherent manufacturing defects in the Malarkey roofing materials.

THIS LIMITED WARRANTY IS THE ONLY EXPRESS AND/OR IMPLIED WARRANTY MADE BY MALARKEY IN CONNECTION WITH THE SALE OF ITS PRODUCTS. NO REPRESENTATIVE OF MALARKEY OR ANY OTHER PERSON HAS ANY AUTHORITY WHATSOEVER TO ACCEPT FROM OR FOR MALARKEY, ANY ADDITIONAL OR DIFFERENT LIABILITY OR RESPONSIBILITY FOR MALARKEY PRODUCTS. MALARKEY SHALL NOT BE LIABLE FOR DAMAGE TO ANY BUILDING OR CONTENTS OR INJURY TO PERSONS OR FOR ANY CONSEQUENTIAL DAMAGES RESULTING FROM BREACH OF THE WARRANTY OR ANY OTHER WARRANTY OR CONDITION, IMPLIED BY LAW OR OTHERWISE, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS. SOME STATES AND PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES; THIS EXCLUSION MAY NOT BE APPLICABLE IN ALL STATES AND PROVINCES. THIS WARRANTY GIVES SPECIFIC LEGAL RIGHTS; THERE MAY BE OTHER RIGHTS THAT VARY STATE TO STATE AND PROVINCE TO PROVINCE.

THE PARTIES AGREE THAT ANY CLAIM, DISPUTE, OR CONTROVERSY RELATING TO OR ARISING FROM THIS WARRANTY SHALL BE SUBMITTED TO BINDING ARBITRATION UNDER THE RULES OF THE AMERICAN ARBITRATION ASSOCIATION (OR OTHER MUTUALLY ACCEPTABLE ARBITRATOR) THEN IN EFFECT. The expenses of the arbitration shall be allocated among the parties by the arbitrator(s) as part of the award, which shall include the prevailing party's reasonable attorneys' fees and costs, including expert fees. THIS IS A BINDING ARBITRATION PROVISION THAT MAY BE ENFORCED BY THE PARTIES.

This warranty is enforceable only by the original owner named below and is not transferable to any subsequent owner of this structure on which the product is placed or to any other person.

This warranty will not be valid until the owner of the roof completes the attached selection and activation form and returns it to Malarkey at the address specified below. The product warranty may also be activated online. Please go to WW.MALARKEYROOFING.COM and complete the online 10-Year Limited Warranty under "Warranties" (found in either the "Residential" or "Commercial" section). Warranty registration must be received by Malarkey within thirty (30) days of installation. Failure to comply with this condition shall void all warranties, express or implied, and the product shall be sold as is and without warranty.

Rev. 12/23



Thank you again for choosing Malarkey Roofing Products® for your recent roofing project.

▶ If you choose to register your roofing installation, complete the online 10-Year Warranty Form at: WWW.MALARKEYROOFING.COM (found in "Warranties" in the "Residential" or "Commercial" sections).

Or fill out the attached Warranty form and send registered mail to:

Malarkey Roofing Products, P.O. Box 17217, Portland, OR, 97217.

Retain a copy for your records.

▶ The owner should retain all documents and proof of purchase of Malarkey products for submission to Malarkey for validation of claims.

10-YEAR WARRANTY Please fill out, detach, and send registered mail to: Malarkey Roofing Products P.O. Box 17217, Portland, OR 97217	REGISTRATION FOI Warranty Period Begins on Insta Completion Date:			PLEASE PRINT OR TYP
Building Owner:	•	Owner e-mail:		
Address:		City:	State/Prov.:	ZIP/PC:
Project Address:		City:	State/Prov.:	ZIP/PC:
Number of squares:	(If different) System Spec (if available):	Ro	ofing Contractor:	
Address:		City:	State/Prov.:	ZIP/PC:
Contractor e-mail:		Additional e-mail:		
MALARKEY PRODUCT INSTALLED				
(please check one) STEEP SLOPE		LOW SLOPE		
UNDERLAYMENT	HIP AND RIDGE	BASE SHEET	CAP SHEET	
□ Right Start® UDL	□ 222 EZ-Ridge® 💆	☐ 410 OmniSeal® Base	□ 350 Paragon	CHROMA Cap
□ 401 Arctic Seal®	☐ 224 EZ-Ridge® XT	☐ 501 Paragon® MOD Base	□ 430 OmniSea	il® Cap
□ 1030 Secure Start® SG Synthetic	□ 225 10" RidgeFlex®	□ 515 Pano™ Base	□ 436 OmniSea	al® Cap FR
□ 1031 Secure Start® Plus	□ 227 12" RidgeFlex® Suited	☐ 602 Paragon® ULTRA Base	□ 502 Pano™ C	•
Synthetic		☐ 610 Paragon® ULTRA SA Base	e □ 524G RCap®	Plus
□ 1035 Secure Start® Permeable Synthetic		☐ 620 Paragon® ULTRA TG Base	e □ 601 Paragon	MOD Cap
			□ 625 Paragon	ULTRA Cap
	STARTER	PLY SHEET	□ 626G Parago	n® RCap®
	□ 210 Smart Start®	☐ 420 OmniSeal® Ply	□ 630 Paragon	ULTRA TG Cap
		□ 500 Pano™ Ply 4	EZ SEAL™	·
Rev. 12/23		□ 506 Pano™ Ply 6	□ EZ Seal™ Flui	d Flashing
Please fill-out this form and save f Number of squares: Roofing Contractor:	or your records.	Warranty Period Begins on Installati Completion Date: System Spec (if available): Contractor e-mail:	on	
MALARKEY PRODUCT INSTALLED				
(please check one)		L OW OLODE		
STEEP SLOPE UNDERLAYMENT	HIP AND RIDGE	LOW SLOPE BASE SHEET	CAP SHEET	
□ Right Start® UDL	□ 222 EZ-Ridge® Sales	☐ 410 OmniSeal® Base		© CHROMA Cap
□ 401 Arctic Seal®	□ 224 EZ-Ridge® XT 🚾	☐ 501 Paragon® MOD Base	□ 430 OmniSea	
□ 1030 Secure Start® SG Synthetic	□ 225 10" RidgeFlex® (mile)	□ 515 Pano™ Base	□ 436 OmniSea	•
□ 1031 Secure Start® Plus	□ 227 12" RidgeFlex® Subset	☐ 602 Paragon® ULTRA Base	□ 502 Pano™ C	•
Synthetic		☐ 610 Paragon® ULTRA SA Base	e □ 524G RCap®	Plus
□ 1035 Secure Start® Permeable Synthetic		☐ 620 Paragon® ULTRA TG Base	e □ 601 Paragon	MOD Cap
•	OTARTER	DIV OUEET	□ 625 Paragon	ULTRA Cap
	STARTER	PLY SHEET	□ 626G Parago	n® RCap®
	□ 210 Smart Start®	☐ 420 OmniSeal® Ply	□ 630 Paragon	□ ULTRA TG Cap
		□ 500 Pano™ Ply 4	EZ SEAL™	
Rev. 12/23		□ 506 Pano™ Ply 6	□ E7 Sool™ Elui	





LIMITED SYSTEMS WARRANTY

Subject to the conditions and limitations set forth below, Malarkey Roofing Products® (Malarkey) warrants to the owner of the Malarkey products registered that such products are free from manufacturing defects and will remain serviceable under normal conditions of intended use from date of installation to end of the warranty period.

In the event any such Malarkey roofing products are shown to have actual manufacturing defects that cause leaks, Malarkey, at its sole election, shall either: (a) replace such materials; or (b) repair any water leaks up to the maximum liability described below; or (c) provide a refund up to the maximum liability described below. The maximum liability for cost of repairs or any refund shall be as follows: During the first year following completion of application, the maximum liability shall be equal to the original cost of the defective Malarkey roofing products, excluding installation costs or costs of flashings, metal work or other materials supplied or manufactured by others. After the first full year, and during each subsequent year, the maximum liability shall be equal to the original cost of the defective Malarkey roofing products, excluding the items described in the preceding sentence, multiplied by the number of remaining years in the warranty period, then divided by the total years in the warranty. In any event claimed, all costs previously incurred by Malarkey for repair or replacement of Malarkey roofing products or for any refund under this warranty shall be deducted in determining the maximum liability.

Malarkey will not be responsible for the cost of removal and replacement of any rooftop appurtenances or equipment installations in order to conduct repairs for valid claims, such as, but not limited to, solar panels.

In the event Malarkey elects not to replace any defective Malarkey roofing products or provide repair, or repairs are not commercially practicable or cannot be timely made, Malarkey shall have the right to elect to refund the owner an amount equal to the maximum liability as determined in accordance with the preceding paragraph.

In order to obtain any remedy under this limited warranty, the owner must notify Malarkey of any defect within 72 hours following owner's first discovery of such defect and confirm such notice in writing. The written notice must be received by Malarkey within ten [10] days of discovery. The owner shall submit with such notice, proof of date of purchase, and completion of proper application in order to provide Malarkey an opportunity to investigate the claim and examine materials claimed to be defective. All notices shall be sent to Malarkey Roofing Products, P.O. Box 17217, Portland, OR 97217. After receipt of written notice, including all of the required information described above, Malarkey shall then inspect the claimed defect before determining whether it will replace, repair, or refund. The owner's failure to give notice as required or permit inspection or sampling of the Malarkey roofing products shall constitute a waiver by the owner of all warranty claims. Malarkey reserves the right to discontinue or modify any of its products and shall not be liable to the owner as a result of any discontinuance or modification.

LIMITATIONS

Malarkey shall have no liability under this warranty for:

- Defects or failure of, or damage caused by, materials used as a roofing base over which Malarkey roofing products are applied.
- Damage to the roof caused by settlement, distortion, failure or cracking of the roof deck, walls, or foundation of the building.
- 3. Damage caused by traffic or storage of materials on the roof.
- 4. Damage caused by severe weather, including but not limited to lightning, tornado, hail, flood, earthquake, or windstorms.
- Damage caused by fire, explosion, chemicals, solid objects falling on the roof, radiation, or any cause other than ordinary wear and tear
- Defects, damage to, or failure of flashing, metal work, or other material furnished by others.
- Defects or failure caused by improper installation not in accordance with Malarkey's roofing specifications, application instructions, building code and local amendments, and approved roofing practices.
- 8. Improper ventilation.
- Penetrations of the roofing system for installation of rooftop appurtenances (solar panels, satellite dishes, vent pipes, etc.), structural changes, or other alterations to the roof after application of Malarkey roofing products.
- 10. Ponding water
- Damage to the roof due to causes other than inherent manufacturing defects in Malarkey roofing products.

THIS LIMITED WARRANTY IS THE ONLY EXPRESS AND/OR IMPLIED WARRANTY MADE BY MALARKEY IN CONNECTION WITH THE SALE OF ITS PRODUCTS. NO REPRESENTATIVE OF MALARKEY OR ANY OTHER PERSON HAS ANY AUTHORITY WHATSOVER TO ACCEPT FROM OR FOR MALARKEY, ANY ADDITIONAL OR DIFFERENT LIABILITY OR RESPONSIBILITY FOR MALARKEY PRODUCTS. MALARKEY SHALL NOT BE LIABLE FOR DAMAGE TO ANY BUILDING OR CONTENTS OR INJURY TO PERSONS OR FOR ANY CONSEQUENTIAL DAMAGES RESULTING FROM BREACH OF THE WARRANTY OR ANY OTHER WARRANTY OR CONDITION, IMPLIED BY LAW OR OTHERWISE, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTIABILITY OR FITNESS. SOME STATES AND PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES; THIS EXCLUSION MAY NOT BE APPLICABLE IN ALL STATES AND PROVINCES. THIS WARRANTY GIVES SPECIFIC LEGAL RIGHTS; THERE MAY BE OTHER RIGHTS THAT VARY STATE TO STATE AND PROVINCE TO PROVINCE.

THE PARTIES AGREE THAT ANY CLAIM, DISPUTE, OR CONTROVERSY RELATING TO OR ARISING FROM THIS WARRANTY SHALL BE SUBMITTED TO BINDING ARBITRATION UNDER THE RULES OF THE AMERICAN ARBITRATION ASSOCIATION (OR OTHER MUTUALLY ACCEPTABLE ARBITRATOR) THEN IN EFFECT. The expenses of the arbitration shall be allocated among the parties by the arbitrator(s) as part of the award, which shall include the prevailing party's reasonable attorneys' fees



and costs, including expert fees. THIS IS A BINDING ARBITRATION PROVISION THAT MAY BE ENFORCED BY THE PARTIES.

This warranty is enforceable only by the original owner as registered and is not transferable to any subsequent owner of this structure on which the product is placed or to any other person.

This warranty will not be valid until the building contractor registers the warranty. Warranty registration must be received by Malarkey

within thirty (30) days of installation. Failure to comply with this condition shall void all warranties, express or implied, and the product(s) shall be sold as is and without warranty.

The owner should retain all documents and proof of purchase of Malarkey products for submission to Malarkey for validation of claims.

CHOICE OF LOW SLOPE ROOFING SYSTEMS

10-YEAR SYSTEMS

401 + 430 or 436

12-YEAR SYSTEMS

410 + 430

410 + 436

15-YEAR SYSTEMS

420 + 430

17-YEAR SYSTEMS

410 + 420 + 436

410 + 420 + 430

420 + 436

420 + 420 + 430

20-YEAR SYSTEMS

420 + 420 + 436

410 + 420 + 420 + 436

SYSTEMS KEY

BASE/PLY SHEETS	CAP SHEETS
401 Arctic Seal®	430 OmniSeal® Cap
410 OmniSeal® Base	436 OmniSeal® Cap FR
420 OmniSeal® Ply	

Install systems per manufacturer's installation instructions.

LIMITED SYSTEMS WARRANTY REGISTRATION



To register your warranty, complete the online Limited Systems Warranty Registration Form by scanning this code, or visiting: WWW.MALARKEYROOFING.COM/WARRANTIES and selecting the link to the Limited Systems Warranty.

Mailing Address:


P.O. Box 17217, Portland, OR 97217 0: 503.283.1191 | 800.545.1191 | F: 503.289.7644 www.MalarkeyRoofing.com

Rev. 12/23

Thank you for choosing MALARKEY ROOFING PRODUCTS®







Shingle & Accessory Guide **EMERALD PRO WARRANTY**

Available exclusively through Malarkey Certified Residential Contractors.

- SAMPLE -








Make it a Secure Choice™ with Malarkey Supporting Products

- 1. Hip and Ridge Shingles: High-profile ridge EZ-Ridge®
 [8" and 10"] and standard low-profile RidgeFlex® [10" and 12"] all feature Scotchgard™ Protector from 3M, NEX® polymer modified asphalt, and a high-performance UL 2218 Class 4 impact resistance rating.
- Starter Shingles: Smart Start* Starter Shingles are specifically designed to increase protection against moisture intrusion and blow-off.
- Underlayment: Offering a range of fiberglass polymer modified asphalt underlayments as well as synthetic products for your roof.
- 4. Ice and Water Protection: Arctic Seal* and Secure Start* HT are very effective as flashing membranes in valleys, rakes, skylights and pipe penetrations.



	Compare Emerald Pro with Other Malarkey Warranties												
MALARKEY WARRANTY	WARRANTY PERIOD [SINGLE FAMILY]	WARRANTY PERIOD [OTHER STRUCTURES]	RIGHT START™ NON-PRORATED WARRANTY PERIOD (SINGLE FAMILY)	RIGHT START™ NON-PRORATED WARRANTY PERIOD (OTHER STRUCTURES)	ALGAE RESISTANCE COVERAGE	LOW SLOPE COVERAGE	WIND WARRANTY COVERAGE & SPEED						
Emerald Pro	Limited Lifetime (Dura-Seal": 30 years)	20-50 Years	10-50 Years	10-20 Years	Products with Scotchgard™ Protector: Limited Lifetime AR Products: 10-15 years	10-15 Years	15 years Enhanced Wind Warranty [automatic]: 130 mph/209 kph [Dura-Seal" shingle line: 80 mph/130 kph] (Windsor" shingle line: 140 mph/225 kph) Refer to the Warranty section - Wind Damage Coverage						
Shingle and Accessory Warranty	Limited Lifetime (Dura-Seal": 25 years)	25-50 Years	7-20 Years	7-20 Years	Products with Scotchgard™ Protector: Limited Lifetime AR Products: 5-15 years	N/A	15 years Limited Wind Warranty: 110 mph/177 kph [Dura-Seal*: 60 mph/97 kph] Enhanced Wind Warranty: 130 mph/ 209 kph -using 4 nails [Dura-Seal*: 70 mph/113 kph] [Windsor* shingle line: 140 mph/225 kph -using 5 nails]						

Your Choice' Shingle Warranty - Default to 'like' warranty conditions. N/A to Contractor Workmanship Period and Low Slope Coverage.





CERTIFIED RESIDENTIAL CONTRACTOR MATERIAL WARRANTY

Thank you for choosing Malarkey Roofing Products* [Malarkey] shingles for your recent roofing project. Our Emerald Pro Warranty [the Warranty] is available exclusively through Malarkey's Certified Residential Contractor Program and offers customers an enhanced roofing system warranty backed by quality Malarkey products.

An eligible Secure Choice™ Roofing System (SCRS) consists of Malarkey shingles (see Table 1 for a complete list) and three (3) or more Malarkey accessory products, and shall be installed by a Malarkey Emerald Pro Certified Residential Contractor (CRC) using our latest published installation instructions and adopted building code requirements.

THE EMERALD PRO WARRANTY: WHO AND WHAT IS COVERED

Two distinct types of housing are covered under the Warranty:

Single Family, Detached Residences

- A Malarkey SCRS approved for the Warranty comes with a LIMITED LIFETIME WARRANTY against manufacturing defects that adversely affect performance of the roofing system. It is offered to individual homeowners who first had the shingles installed on the single family, detached house they use as their primary residence. "Lifetime" coverage remains in effect as long as the original owner or eligible subsequent owner maintains as their primary residence, the house where the Malarkey SCRS was installed.

Other Structures

 Other types of structures excluded from Lifetime coverage include houses no longer maintained by the owner(s) as their primary residence, duplexes, townhouses, apartment buildings, condominiums, and professional buildings, such as churches, hospitals, and schools. These structures are covered against manufacturing defects for twenty to fifty (20 to 50) years based on the product listed in Table 1.

Note: A *one-time* transfer of the warranty to a second owner is allowed under the program (e.g., following the sale of the house or building). See the *TRANSFERABILITY* section for more information.

RIGHT START™ PERIOD

Malarkey roofing products are manufactured to very high standards, and because of this, every shingle's warranty period (see Table 1 below) includes a non-prorated Right Start** Period that states:

If any component of the SCRS is found to have manufacturing defects that materially affect performance of the system, Malarkey will either repair, replace, or pay for installation of replacement materials as necessary. The costs for tear-off and disposal of some or all of the Malarkey roofing products are included if necessary to repair your roof.

Malarkey will not be responsible for the cost of removal and replacement of any rooftop appurtenances or equipment installations in order to conduct repairs for valid claims such as, but not limited to, solar panels.

TABLE 1

SHINGLE PRODUCT	WARRANTY PERIOD (SINGLE FAMILY)	WARRANTY PERIOD [OTHER STRUCTURES]	RIGHT START™ NON-PRORATED WARRANTY PERIOD (SINGLE FAMILY)	RIGHT START™ NON-PRORATED WARRANTY PERIOD (OTHER STRUCTURES)	ENHANCED WIND WARRANTY COVERAGE MPH [KPH]	WIND WARRANTY COVERAGE PERIOD	ALGAE RESISTANCE COVERAGE	DOLLAR LIMIT/SQ.	PRORATED REDUCTION PER MONTH
3-TAB SHINGLES									
Dura-Seal® AR	30 years	20 years	10 years	10 years	80 (130)	15 years	10 years	\$65	1/360
LAMINATE SHINGLES									
Highlander*	Lifetime	40 years	50 years	20 years	130 (209)	15 years	N/A	\$75	1/480
Highlander® AR	Lifetime	40 years	50 years	20 years	130 (209)	15 years	10 years	\$75	1/480
Ecoasis*	Lifetime	40 years	50 years	20 years	130 (209)	15 years	N/A	\$90	1/480
Vista**	Lifetime	45 years	50 years	20 years	130 (209)	15 years	N/A	\$85	1/540
Vista® AR	Lifetime	45 years	50 years	20 years	130 (209)	15 years	15 years	\$85	1/540
Legacy*	Lifetime	50 years	50 years	20 years	130 (209)	15 years	N/A	\$95	1/600
Legacy® Suppl	Lifetime	50 years	50 years	20 years	130 (209)	15 years	Lifetime	\$100	1/600
Ecoasis® Premium	Lifetime	50 years	50 years	20 years	130 (209)	15 years	Lifetime	\$160	1/600
DESIGNER SHINGLES									
Windsor® 👊	Lifetime	50 years	50 years	20 years	140 (225)	15 years	Lifetime	\$200	1/600





Malarkey Roofing Products® and related warranties stand with any in the industry. The warranty coverage includes:

 A Right Start™ Period: Every Malarkey warranty includes a multi-year, non-prorated warranty period designed to protect your shingle investment for years to come.
 During this period shingles do not depreciate, and you enjoy 100% warranty coverage.

Coverage Beyond the Right Start™ Period: Once the Right Start™ Period has passed for Single Family structures, if any component of the SCRS is found to have manufacturing defects that materially affect performance of the system, the repair or replacement value of those components are prorated and retain 20% of their original value.

The Right Start™ Period for Other Structures¹ is split with the first twenty [20] years being non-prorated and the remainder of the warranty period, prorated. The prorated value is determined by a certain percentage based on the remaining number of months in their warranty [see Table 1, last column].

Any costs in excess of the prorated adjustment are the owner's responsibility. If money was already paid under the warranty, the prorated warranty value will be reduced by that amount.

SYSTEM REQUIREMENTS

The Emerald Pro Warranty requires Malarkey shingles as well as three [3] or more Malarkey accessory products, including underlayment, starter shingles, and hip and ridge shingles. These qualified, accessory products include:

STARTER SHINGLES	UNDERLAYMENT	ICE AND WATER PROTECTION [†]	HIP AND RIDGE SHINGLES*
Smart Start*	Right Start* UDL	Arctic Seal®	10" RidgeFlex®
Windsor* Starter	Secure Start® Synthetic line	Secure Start® HT	12" RidgeFlex*
	Arctic Seal® (full deck coverage)		EZ-Ridge*
	Secure Start® HT [full deck coverage]		EZ-Ridge* XT
+ Penuired when re	aquired by code or when i	ce and water is used	in the roofing

- Required when required by code or when ice and water is used in the roofing system.
- Some contractors adapt roofing shingles to use as hip and ridge shingles.

 Dura-Seal" AR shingles used for hip and ridge will qualify toward the Warranty but only when Dura-Seal" AR is also the field shingle.

WIND DAMAGE COVERAGE

Malarkey SCRS's completed by Emerald Pro Certified Residential Contractors are covered against loss from wind damage for 15 years.

Note: Malarkey's wind warranties apply only when shingles are properly adhered, whether by hand-sealing with asphalt roof cement conforming to ASTM D4586 or by activation of the shingles' self-sealing strips. Malarkey's maximum liability under wind warranties is, at its option, to either repair or replace blown-off shingles (including materials and labor) or be allowed the opportunity to hand-seal (or have hand-sealed) the shingles at our expense.

ALGAE RESISTANCE COVERAGE

The Emerald Pro Warranty offers two levels of coverage against damage due to discoloration caused by the development of bluegreen algae (primarily the cyanobacteria Gloeocapsa spp):

¹ The Right Start™ Period for Other Structures with Dura-Seal® AR shingles is split with the first ten [10] years non-prorated and the remainder, prorated.



SHINGLES	MALARKEY SHINGLES THAT FEATURE SCOTCHGARD™ PROTECTOR FROM 3M™2. ∫In Table 1's listing of	MALARKEY SHINGLES THAT FEATURE ALGAE RESISTANT [AR] PROTECTION [Shingles with "AR" next to	For roofs that i	WARRANTY COVERAGE nclude low slope, Malarkey OmniSeal® Roo allify for limited warranty coverage. Specific	
SHIN	shingles in the first column, note the Scotchgard™ logo next to their names.)	their name in Table 1)	TYPE OF ROOF SYSTEM	MEMBRANES INCLUDED	WARRANT' COVERAGE PERIOD
È-	From the date of installation, a SCRS with these shingles has lifetime coverage,	From the date of installation, a SCRS with these shingles has ten [10] or fifteen	System A: Two-Ply	OmniSeal® Ply and OmniSeal® Cap	10 years
WARRANTY PERIOD	subject to the conditions and limitations listed below.	nas ten (10) or fitteen (15) years of coverage (depending on the shingle),	System B: Two-Ply	OmniSeal® Ply and OmniSeal® Cap FR	12 years
<i>></i> 		subject to the conditions and limitations listed below.	System C: Three-Ply	OmniSeal® Base, OmniSeal® Ply, and OmniSeal® Cap	12 years
	For the first twenty (20) years from the date of installation, for those shingles that exhibit	For the first five [5] years of the AR algae warranty, claims meeting all warranty	System D: Three-Ply	OmniSeal® Base, OmniSeal® Ply, and OmniSeal® Cap FR	12 years
ш	discoloration due to blue- green algae, we will cover	requirements, Malarkey may, at its discretion, repair	System E: Two-Ply	Paragon® ULTRA SA Base and OmniSeal® Cap FR	15 years
COVERAGE	the cost, including labor (as reasonably determined	or replace the affected shingles, or simply pay	System F: Three-Ply	OmniSeal® Base, Paragon® ULTRA SA Base, and OmniSeal® Cap FR	
00	by Malarkey), to repair or replace the affected shingles, or simply pay the owner an	the owner an amount not exceeding the cost of the originally installed, affected	System G: Three-Ply	OmniSeal* Ply, OmniSeal* Ply, and OmniSeal* Cap FR	15 years
	amount not exceeding the cost of the originally installed, affected shingles.	shingles.	is complete ar	rage begins from the date installation of nd includes any manufacturing defects rranty coverage period[s] listed in the ta	discovered
PRORATION	After twenty [20] years, Malarkey's maximum repair or replacement payment obligation is prorated, based on the number of months elapsed in the warranty period.	After five [5] years, Malarkey's maximum payment will be prorated, the value determined by a certain percentage based on the remaining number of months in the warranty.	roof system w Rooftop comp application, ev	illity will be for materials to replace the cith the same or similar materials. conents that are not part of the low slop ven if installed at the same time, are not try. Such components include but are not try.	e membrane t covered by th
REQUIREMENTS	Malarkey shingle systems with Scotchgard™ Protector also require hip and ridge shingles with algae protection, and both Malarkey's EZ-Ridge® and RidgeFlex® products feature Scotchgard™ Protector.	Malarkey AR shingles also require hip and ridge shingles³ with algae protection, and both Malarkey's EZ-Ridge® and RidgeFlex® products feature Scotchgard™ Protector.	 Insulation a Vapor retar Assorted m joints, etc. Plastic according 	ring roof deck and related fasteners ders/barriers and related fasteners etal work: flashing, drains, pitch pans, v essories as like skylights and hatches	ents, expansio
	For claims meeting all warranty requirements, Malarkey's maximum liability under this warranty is, at its option, to repair or replace	For claims within the first five years meeting all warranty requirements, Malarkey's maximum liability under this warranty is, at its option, to	Roof coatinSurfacing, I	pallast of aggregates/gravel	
MAXIMUM LIABILITY	the defective shingles or pay the owner an amount not exceeding the DOLLAR LIMITs expressed in Table 1 and reasonable installation costs as defined by RS Means*.	repair or replace the defective shingles or pay the owner an amount not exceeding the DOLLAR LIMITS expressed in Table 1 and reasonable installation costs as defined by	of the warrant transfer applic	BILITY Pro Warranty can be transferred once du y. Malarkey must be notified in writing a cation completed within sixty [60] days rranty becomes void. Transfer informati	and a warranty of real estate
		RS Means*. After 5 years, the payment will be prorated until the end of term listed in Table 1, Algae Resistance Coverage. After the warranty period expires, there is no remedy for algae on AR shingles.	The addressThe date ofThe name, sCertified CoProof of pu	rchase and address of the new owner	



If the transfer takes place within the Right Start™ Period, the eligible new owner is entitled to the balance of the original warranty and Right Start™ Period. Lifetime warranty coverage is transferable as long as the subsequent owner maintains the home as their primary residence.

If the transfer occurs *after* the Right Start™ Period expires, the balance of the warranty is reduced to the earlier of: [1] a five [5] year period after the date of ownership change; or [2] the expiration of the Limited Lifetime Warranty. Should there be a discoverable manufacturing defect during this five [5] year period, our obligation to the eligible new owner will be based on the reasonable cost of roofing system replacement, prorated by the duration of use from the original installation date through the date of the claim.

Warranty transfer and payment information can be found online at www.malarkeyroofing.com/warranties/emerald-pro-premium-warranty-transfer-application or by contacting Malarkey's Warranty Department at [800] 545-1191 or email: malarkey.warrantyinquiries@holcim.com.

REQUIRED COMPONENTS, PROCEDURES, AND STANDARDS

- Malarkey Roofing Products* shingles and Malarkey accessory
 products must be installed on the structure to be eligible for the
 Emerald Pro Warranty.
- All work must be completed by a Malarkey Emerald Pro or Premium
 Certified Residential Contractor and installed according to
 Malarkey's latest published installation instructions and adopted building code.
- The building structure and roof deck must be sound, comply with all local codes and ordinances, and sufficient to support the weight of the roofing system and transient load during application.
- 4. The roof deck must be an acceptable substrate:
 - Sheathing panels shall meet adopted building code requirements and be at least 3/8" (10 mm) thick, exterior-grade plywood or 7/16" (11 mm) oriented strand board (OSB).
 - Malarkey strongly recommends installing sheathing when wood board decking is the existing substrate and required when boards are greater than 6" (152 mm) wide. Problems with the performance of your roofing system, such as leaks and buckling, increase if installed directly over wood board decks. Failure to use properly conditioned deck materials can result in deck movement, which can damage the roof covering and may void your warranty.
 - Likewise, sheathing panels should be supported, gapped and securely nailed to all framing members per APA recommendations.
 - Installing over existing roofing materials (i.e., re-covering) or deteriorated wood products is not acceptable. A complete tearoff is required.
- Besides replacement of warped or rotted decking, repairs are required at other areas of roof that could lead to leaks unrelated to proper installation of the Malarkey roofing system such as deteriorated chimney mortar joints, etc.

- Smart Start* starter shingles to be applied to both eave and rake edges of the roof.
- Coverage will not take effect until all payments relative to this
 warranty have been paid in full to Malarkey, the CRC, and material
 supplier, including costs for warranty registration, installation,
 supplies, etc.
- 8. Warranty registration requires proof of purchase.

EXCLUSIONS

The Emerald Pro Warranty covers only manufacturing defects in Malarkey shingles. It includes the Malarkey roofing shingles listed in Table 1 and related accessories sold and installed in the U.S. and Canada. Warranty claims that Malarkey determines are cosmetic in nature are not considered manufacturing defects. The warranty does not cover other products such as flashing and metal work or damage to shingles attributable in whole or in part to other causes including, but not limited to:

- Improper fastening or installation not in accordance with Malarkey's written instructions
- Improper ventilation
- Improper transportation, storage, or handling of shingles and/or accessories
- Installation by a contractor other than a Malarkey Emerald Pro Certified Residential Contractor
- Penetrations of the roofing system for installation of rooftop appurtenances (solar panels, satellite dishes, vent pipes, etc.), structural changes, or other alterations to the roof after application of Malarkey roofing products
- Inordinate traffic on the roof for any reason (equipment installation, moss and debris removal, gutter cleaning, etc.)
- Settlement, movement, distortion, failure or cracking of the roof decks, walls or foundations of the building
- Damage to shingles, roof deck, or structure due to ice damming or water backup
- Variation in color (shading) which may occur from the positioning of colored granules on the shingles
- Shading or discoloration of shingles or ridges due to algae (excluding Scotchgard™ or AR shingles as described in the ALGAE RESISTANCE COVERAGE section)
- Deterioration or distortion caused by moss, mold, mildew, or other vegetation, organic compounds, paints, chemicals, or similar materials
- Granule sloughing due to excessive granules on the shingles
- Impact of foreign objects
- Violent or unusual weather conditions, such as flooding, hurricanes, tornadoes, hailstorms, winds in excess of Wind Speed Limits [Table 1], or other extreme forces of nature
- Fire, acts of vandalism, and other, similar occurrences

Note: Malarkey continually strives to improve shingle durability and enhance our product line. In support of this, Malarkey reserves the right to discontinue or modify any of its products, including the color blend of shingles, without notice to the owner and shall not be liable to the owner as a result of this modification or discontinuance. If your shingles are no longer available, Malarkey reserves the right to provide you with substitute shingles comparable in quality, price, and color to your original shingles.



REGISTRATION

Warranties must be filed online by your Malarkey Certified Roofing Contractor. The warranty registration fee, which will be quoted by your contractor, is payable in US dollars. Malarkey is not responsible for any additional bank fees, taxes or transactions that have been implemented by your banking institution. Please contact your local customs office or banking institutions should you have any questions.

CANADA ONLY: If you would like to pay via business cheque, please mail your payment (business cheque) to the Malarkey Corporate office Attn: Warranty Services Department.

COMPENSATION

Malarkey may, at its sole discretion under this Emerald Pro Warranty, either: [1] issue a combination of cash and/or material credit to an existing supplier of Malarkey roofing materials; or [2] provide replacement materials only. The prorated material costs will be determined by time of use and the original cost of the SCRS at the time of original purchase.

CLAIMS PROCEDURE

- Claims shall be made in writing by certified or registered mail within thirty (30) days of discovery and prior to any permanent repairs (except emergency measures to prevent potential damage to the building or its contents) being made. Include proof of purchase and proof of warranty.
- 2. Malarkey will be given the opportunity to inspect the roof and be provided with samples before any steps are taken to repair the roof.
- 3. After verification the roofing materials are defective, Malarkey will perform its obligations under this warranty within forty-five [45] days of receipt of notice, unless performance is delayed by causes beyond Malarkey's control. Any cost in excess of the prorated adjustment if loss is discovered after the Right Start™ Period will be the owner's responsibility.

SOLE AND EXCLUSIVE WARRANTY

THIS LIMITED WARRANTY IS THE ONLY EXPRESS AND/OR IMPLIED WARRANTY MADE BY MALARKEY IN CONNECTION WITH THE SALE OF ITS PRODUCTS. THE TERMS AND CONDITIONS CONTAINED HEREIN CONSTITUTE THE ENTIRETY OF YOUR LIMITED WARRANTY, REGARDLESS OF ANY FUTURE REVISIONS OF WARRANTY TERMS FOR LATERINSTALLED SHINGLES.

NO REPRESENTATIVE OF MALARKEY OR ANY OTHER PERSON HAS ANY AUTHORITY WHATSOEVER TO ACCEPT FROM OR FOR MALARKEY, ANY ADDITIONAL OR DIFFERENT LIABILITY OR RESPONSIBILITY FOR MALARKEY PRODUCTS. NO SAMPLE WARRANTY AVAILABLE ON MALARKEY'S WEBSITE OR ELSEWHERE WHOSE TERMS AND CONDITIONS DIFFER FROM THOSE CONTAINED HEREIN WILL BE APPLICABLE TO YOUR SHINGLES.

MALARKEY SHALL NOT BE LIABLE FOR DAMAGE TO ANY BUILDING OR CONTENTS OR INJURY TO PERSONS OR FOR ANY CONSEQUENTIAL DAMAGES RESULTING FROM BREACH OF THE WARRANTY OR ANY OTHER WARRANTY OR CONDITION, IMPLIED BY LAW OR OTHERWISE, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS. SOME STATES AND PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES; THIS EXCLUSION MAY NOT BE APPLICABLE IN ALL STATES AND PROVINCES. THIS WARRANTY GIVES SPECIFIC LEGAL RIGHTS; THERE MAY BE OTHER RIGHTS THAT VARY STATE TO STATE AND PROVINCE TO PROVINCE.

THE PARTIES AGREE THAT ANY CLAIM, DISPUTE, OR CONTROVERSY RELATING TO OR ARISING FROM THIS WARRANTY SHALL BE SUBMITTED TO BINDING ARBITRATION UNDER THE RULES OF THE AMERICAN ARBITRATION ASSOCIATION (OR OTHER MUTUALLY ACCEPTABLE ARBITRATOR) THEN IN EFFECT. The expenses of the arbitration shall be allocated among the parties by the arbitrator(s) as part of the award, which shall include the prevailing party's reasonable attorneys' fees and costs, including expert fees. THIS IS A BINDING ARBITRATION PROVISION THAT MAY BE ENFORCED BY THE PARTIES.

This warranty is enforceable only by the original owner named below or the eligible new owner who filed a timely warranty transfer request and received confirmation from Malarkey the transfer was accepted.

This Emerald Pro Warranty will not be valid until the Emerald Pro Certified Residential Contractor who installed the roof completes WARRANTY REGISTRATION online at www.malarkeyroofing.com, and the warranty has been accepted by Malarkey Roofing Products.

The owner and eligible new owner should retain all documents and proofs of purchase of Malarkey products for submission to Malarkey should a claim arise.

If you have questions about warranty coverage, contact your roofing contractor, Emerald Pro sales representative, or Malarkey's Warranty Department by phone at [800] 545-1191 or email: malarkey.warrantyinquiries@holcim.com.

Malarkey's website at www.malarkeyroofing.com/homeowners/certified-contractors is another good source of information.

Mailing Address:

P.O. Box 17217 Portland. OR 97217

Office: 503.283.1191 | 800.545.1191 | Fax: 503.289.7644 www.MalarkeyRoofing.com


PLEASE NOTE:

THIS IS A SAMPLE WARRANTY. IT IS YOUR CONTRACTOR'S RESPONSIBILITY TO REGISTER YOUR WARRANTY. ONCE YOU RECEIVE A WARRANTY CERTIFICATE FROM YOUR CONTRACTOR, PLEASE CALL 800.545.1191 AND ASK FOR THE WARRANTY SERVICES DEPARTMENT IF YOU WISH TO SEE A COPY OF YOUR WARRANTY.









Thank you for choosing MALARKEY ROOFING PRODUCTS®


to protect your home, and help preserve our environment.

- SAMPLE -









Shingle & Accessory Guide

EMERALD PREMIUM WARRANTY

Available exclusively through Malarkey Emerald Premium Certified Residential Contractors.

- SAMPLE -








Make it a Secure Choice™ with Malarkey Supporting Products

- 1. Hip and Ridge Shingles: High-profile ridge EZ-Ridge*
 (8" and 10") and standard low-profile RidgeFlex* (10" and 12") all feature Scotchgard™ Protector from 3M, NEX* polymer modified asphalt, and a high-performance UL 2218 Class 4 impact resistance rating.
- Starter Shingles: Smart Start* Starter Shingles are specifically designed to increase protection against moisture intrusion and blow-off.
- 3. Underlayment: Offering a range of fiberglass polymer modified asphalt underlayments as well as synthetic products for your roof.
- 4. Ice and Water Protection: Arctic Seal* and Secure Start* HT are very effective as flashing membranes in valleys, rakes, skylights and pipe penetrations.



	Compare Emerald Premium with Other Malarkey Warranties											
MALARKEY WARRANTY	WARRANTY PERIOD (SINGLE FAMILY)	WARRANTY PERIOD [OTHER STRUCTURES]	RIGHT START™ NON-PRORATED WARRANTY PERIOD (SINGLE FAMILY)	RIGHT START™ NON-PRORATED WARRANTY PERIOD (OTHER STRUCTURES)	CONTRACTOR WORKMANSHIP PERIOD	ALGAE RESISTANCE COVERAGE	LOW SLOPE Coverage	WIND WARRANTY COVERAGE & SPEED				
Emerald Premium	Limited Lifetime (Dura-Seal*: 30 years)	20-50 Years	10-50 Years	10-20 Years	15-25 Years	Products with Scotchgard™ Protector: Limited Lifetime AR Products: 10-15 years	15-20 Years	15 years Enhanced Wind Warranty (automatic): 130 mph/209 kph [Dura-Seal* shingle line: 80 mph/130 kph] [Windsor* shingle line: 140 mph/225 kph] Refer to the Warranty section - Wind Damage Coverage				
Emerald Pro	Limited Lifetime (Dura-Seal*: 30 years)	20-50 Years	10-50 Years	10-20 Years	N/A	Products with Scotchgard™ Protector: Limited Lifetime AR Products: 10-15 years	10-15 Years	15 years Enhanced Wind Warranty (automatic): 130 mph/209 kph [Dura-Seal* shingle line: 80 mph/130 kph] [Windsor* shingle line: 140 mph/225 kph] Refer to the Warranty section - Wind Damage Coverage				
Shingle and Accessory Warranty	Limited Lifetime (Dura-Seal®: 25 years)	25-50 Years	7-20 Years	7-20 Years	N/A	Products with Scotchgard™ Protector: Limited Lifetime AR Products: 5-15 years	N/A	15 years Limited Wind Warranty: 110 mph/177 kph [Dura-Seal*: 60 mph/97 kph] Enhanced Wind Warranty: 130 mph/ 209 kph -using 4 nails [Dura-Seal*: 70 mph/113 kph] [Windsor* shingle line: 140 mph/225 kph -using 5 nails]				
'Your Choice' S	hingle Warranty	/ - Default to 'lik	e' warranty conditio	ins. N/A to Contract	or Workmanship Pe	riod and Low Slope	Coverage.					



CERTIFIED RESIDENTIAL CONTRACTOR MATERIAL AND WORKMANSHIP WARRANTY

Thank you for choosing Malarkey Roofing Products" [Malarkey] shingles for your recent roofing project. Our Emerald Premium Warranty [the Warranty] is available exclusively through Malarkey's Certified Residential Contractor Program and offers customers an enhanced roofing system warranty that is a combination material warranty and workmanship warranty; you get quality Malarkey products and a warrantied installation.

An eligible Secure Choice™ Roofing System (SCRS) consists entirely of Malarkey shingles (see Table 1 for a complete list) and Malarkey accessory products, and shall be installed by a Malarkey Emerald Premium Certified Residential Contractor (CRC) using our latest published installation instructions and adopted building code requirements.

Metal flashings and drip edge metal must also be installed. Step flashing is required at intersecting sidewalls, chimney applications, and other vertical transitions. Counter flashing is required per NRCA guidelines where applicable.

THE EMERALD PREMIUM WARRANTY: WHO & WHAT IS COVERED

Two distinct types of housing are covered under the Warranty:

Single Family, Detached Residences

 A Malarkey SCRS approved for the Warranty comes with a LIMITED LIFETIME WARRANTY against manufacturing defects that adversely affect the performance of the roofing system. It is offered to individual homeowners who first had the shingles installed on the single family, detached house they use as their primary residence. "Lifetime" coverage remains in effect as long as the original owner or eligible subsequent owner maintains as their primary residence, the house where the Malarkey SCRS was installed.

Other Structures

Other types of structures excluded from Lifetime coverage include houses no longer maintained by the owner(s) as their primary residence, duplexes, townhouses, apartment buildings, condominiums, and professional buildings, such as churches, hospitals, and schools. These structures are covered against manufacturing defects for twenty to fifty (20 to 50) years based on the product listed in Table 1.

Note: A *one-time* transfer of the warranty to a second owner is allowed under the program (e.g., following the sale of the house or building). See the *TRANSFERABILITY* section for more information.

RIGHT START™ PERIOD

Malarkey roofing products are manufactured to very high standards, and because of this, every shingle's warranty period (see Table 1 below) includes a non-prorated Right Start™ Period that states:

If any component of the SCRS is found to have manufacturing defects that materially affect performance of the system, Malarkey will either repair, replace or pay for installation of replacement materials as necessary. The costs for tear-off and disposal of some or all the Malarkey roofing products are included if necessary to repair your roof.

Malarkey will not be responsible for the cost of removal and replacement of any rooftop appurtenances or equipment installations in order to conduct repairs for valid claims such as, but not limited to, solar panels.

TABLE 1

				INDELL					
SHINGLE PRODUCT	WARRANTY PERIOD (SINGLE FAMILY)	WARRANTY PERIOD [OTHER STRUCTURES]	RIGHT START™ NON-PRORATED WARRANTY PERIOD (SINGLE FAMILY)	RIGHT START™ NON-PRORATED WARRANTY PERIOD (OTHER STRUCTURES)	CONTRACTOR WORKMANSHIP PERIOD	ENHANCED WIND WARRANTY COVERAGE MPH [KPH]	WIND WARRANTY COVERAGE PERIOD	ALGAE RESISTANCE COVERAGE	PRORATED REDUCTION PER MONTH
3-TAB SHINGLES									
Dura-Seal® AR	30 years	20 years	10 years	10 years	15 years	80 (130)	15 years	10 years	1/360
LAMINATE SHINGLES									
Highlander*	Lifetime	40 years	50 years	20 years	25 years	130 (209)	15 years	N/A	1/480
Highlander® AR	Lifetime	40 years	50 years	20 years	25 years	130 (209)	15 years	10 years	1/480
Ecoasis*	Lifetime	40 years	50 years	20 years	25 years	130 (209)	15 years	N/A	1/480
Vista**	Lifetime	45 years	50 years	20 years	25 years	130 (209)	15 years	N/A	1/540
Vista® AR	Lifetime	45 years	50 years	20 years	25 years	130 (209)	15 years	15 years	1/540
Legacy®	Lifetime	50 years	50 years	20 years	25 years	130 (209)	15 years	N/A	1/600
Legacy® 💆	Lifetime	50 years	50 years	20 years	25 years	130 (209)	15 years	Lifetime	1/600
Ecoasis* Premium	Lifetime	50 years	50 years	20 years	25 years	130 (209)	15 years	Lifetime	1/600
DESIGNER SHINGLES									
Windsor® 💆	Lifetime	50 years	50 years	20 years	25 years	140 (225)	15 years	Lifetime	1/600





Malarkey Roofing Products® and related warranties stand with any in the industry. The warranty coverage includes:

 A Right Start™ Period: Every Malarkey warranty includes a multi-year, non-prorated warranty period designed to protect your shingle investment for years to come. During this period shingles do not depreciate, and you enjoy 100% warranty coverage.

Coverage Beyond the Right Start™ Period: Once the Right Start™ Period has passed for Single Family structures, if any component of the SCRS is found to have manufacturing defects that materially affect performance of the system, the repair or replacement value of those components are prorated and retain 20% of their original value.

The Right Start™ Period for Other Structures¹ is split with the first twenty (20) years being non-prorated and the remainder of the warranty Term, prorated. The prorated value is determined by a certain percentage based on the remaining number of months in their warranty (see Table 1, last column).

Any costs in excess of the prorated adjustment are the owner's responsibility. If money was already paid under the warranty, the prorated warranty value will be reduced by that amount.

CONTRACTOR WORKMANSHIP PERIOD

The Warranty also includes workmanship coverage for the period listed in Table 1. Workmanship includes any aspect of the installation found to adversely affect the performance of the SCRS or cause a leak. The Emerald Premium Certified Residential Contractor will warrant the initial five [5] years of installation liability, and Malarkey will cover the balance.

During the Contractor Workmanship Period, if any part of the Malarkey SCRS is found to have workmanship defects, Malarkey, at its sole discretion, will arrange to have the roof repaired or re-covered [flashings too, if necessary] and provide a reasonable cost for the labor required to accomplish adequate tear-off, disposal, and replacement.

Malarkey retains the right to fulfill its obligation by providing replacement materials and compensation as defined below, for the reasonable cost of labor and other materials needed to repair or replace your roof, including tear-off and disposal costs.

SYSTEM REQUIREMENTS

The Emerald Premium warranty requires Malarkey shingles as well as Malarkey accessory products, including underlayment, starter shingles, and hip and ridge shingles. These qualified, accessory products include:

STARTER SHINGLES	UNDERLAYMENT	ICE AND WATER PROTECTION [†]	HIP AND RIDGE SHINGLES*
Smart Start*	Right Start* UDL	Arctic Seal®	10" RidgeFlex*
Windsor® Starter	Secure Start® Synthetic line	Secure Start® HT	12" RidgeFlex*
	Arctic Seal* (full deck coverage)		EZ-Ridge*
	Secure Start® HT [full deck coverage]		EZ-Ridge* XT

Required if code speculates or when ice and water is used in the roofing system.
* Some contractors adapt roofing shingles to use as hip and ridge shingles.
Dura-Seal* AR shingles used for hip and ridge will qualify toward the Warranty but only when Dura-Seal* AR is also the field shingle.

WIND DAMAGE COVERAGE

Malarkey SCRS's completed by Emerald Premium Certified Residential Contractors are also covered against loss from wind damage for 15 years.

Note: Malarkey's wind warranties apply only when shingles are properly adhered, whether by hand-sealing with asphalt roof cement conforming to ASTM D4586 or by activation of the shingles' self-sealing strips. Malarkey's maximum liability under wind warranties is, at its option, to either repair or replace blown-off shingles (including materials and labor) or be allowed the opportunity to hand-seal (or have hand-sealed) the shingles at our expense.

ALGAE RESISTANCE COVERAGE

The Emerald Premium Warranty offers two levels of coverage against damage due to discoloration caused by the development of bluegreen algae (primarily the cyanobacteria Gloeocapsa spp):

¹ The Right Start™ Period for Other Structures with Dura-Seal® AR shingles is split with the first ten [10] years non-prorated and the remainder, prorated.

MALARKEY SHINGLES THAT MALARKEY SHINGLES THAT



LOW SLOPE WARRANTY COVERAGE

FEATURE SCOTCHGARD™ PROTECTOR FROM 3M™2. [In Table 1's listing of shingles in the first column, note the Scotchgard™ logo next to their names.]	FEATURE ALGAE RESISTANT (AR) PROTECTION (Shingles with "AR" next to their name in Table 1)	10 squares qua TYPE OF ROOF	nclude low slope, Malarkey OmniSeal® Roc alify for limited warranty coverage. Specific MEMBRANES INCLUDED	
From the date of installation, a SCRS with these shingles	From the date of installation, a SCRS with these shingles	System A: Two-Ply	OmniSeal* Ply and OmniSeal* Cap	15 years
subject to the conditions and limitations listed below.	(15) years of coverage (depending on the shingle),	System B: Two-Ply	OmniSeal* Ply and OmniSeal* Cap FR	17 years
	subject to the conditions and limitations listed below.	System C: Three-Ply	OmniSeal* Base, Omni <mark>S</mark> eal* Ply, and OmniSeal* Cap	17 years
For the first twenty (20) years from the date of installation,	For the first five (5) years of the AR algae warranty,	System D: Three-Ply	OmniSeal* Base, OmniSeal* Ply, and OmniSeal* Cap FR	17 years
discoloration due to blue-	requirements, Malarkey	System E: Two-Ply	Paragon* ULTRA SA B <mark>ase and</mark> OmniSeal* Cap FR	20 years
the cost, including labor (as reasonably determined	or replace the affected shingles, or simply pay	System F: Three-Ply	OmniSeal* Base, Paragon* ULTRA SA Base, and OmniSeal* Cap FR	20 years
replace the affected shingles,	exceeding the cost of the	System G: Three-Ply	Om <mark>ni</mark> Seal* Ply, OmniSeal* Ply, and OmniSeal* Cap FR	20 years
amount not exceeding the cost of the originally installed, affected shingles.	shingles.	is complete an	n <mark>d in</mark> cludes any ma <mark>nufac</mark> turing defects o	liscovered
Malarkey's maximum repair or replacement payment obligation is <i>prorated</i> , based on the number of months elapsed in the warranty period.	Malarkey's maximum payment is prorated, the value determined by a certain percentage based on the remaining number of months in the warranty.	roof system with the same or similar materials. Rooftop components that are not part of the low slope membrane application, even if installed at the same time, are not covered by limited warranty. Such components include but are not limited to		
Malarkey shingle systems with Scotchgard™ Protector also require hip and ridge shingles with algae protection, and both Malarkey's EZ-Ridge® and RidgeFlex® products feature Scotchgard™ Protector.	Malarkey AR shingles also require hip and ridge shingles³ with algae protection, and both Malarkey's EZ-Ridge® and RidgeFlex® products feature Scotchgard™ Protector.	 Insulation a Vapor retard Assorted magnetic joints, etc. Plastic acce Penetration 	nd related fasteners ders/barriers and related fasteners etal work: flashing, drains, pitch pans, vo essories is like skylights and hatches	ents, expansic
For claims meeting all warranty requirements, Malarkey's maximum liability under this warranty is at its	For claims within the first five years meeting all warranty requirements, Malarkey's maximum liability under this	 Roof coating Surfacing 	gs pallast of aggregates/gravel	
option, to repair or replace the defective shingles or pay the owner an amount not exceeding the cost of the originally installed, affected shingles.	warranty is, at its option, to repair or replace the defective shingles or pay the owner an amount not exceeding the cost of the originally installed, affected shingles. After five years, the payment will be prorated until the end of term listed in Table 1, Algae Resistance Coverage. After the warranty period expires, there is no remedy for algae on AR shingles.	The Emerald P of the warrant transfer applic transfer or war The name, a The address The date of The name, a Certified Co	remium Warranty can be transferred or y. Malarkey must be notified in writing a cation completed within sixty (60) days tranty becomes void. Transfer information address, and phone of the original holde is where the shingles were installed the original, completed installation address, and phone of the Malarkey Ementractor	nd a warranty of real estate on shall includ r of the warra
	[In Table 1's listing of shingles in the first column, note the Scotchgard™ logo next to their names.] From the date of installation, a SCRS with these shingles has lifetime coverage, subject to the conditions and limitations listed below. For the first twenty [20] years from the date of installation, for those shingles that exhibit discoloration due to bluegreen algae, we will cover the cost, including labor (as reasonably determined by Malarkey), to repair or replace the affected shingles, or simply pay the owner an amount not exceeding the cost of the originally installed, affected shingles. After twenty [20] years, Malarkey's maximum repair or replacement payment obligation is prorated, based on the number of months elapsed in the warranty period. Malarkey shingle systems with Scotchgard™ Protector also require hip and ridge shingles with algae protection, and both Malarkey's EZ-Ridge® and RidgeFlex® products feature Scotchgard™ Protector. For claims meeting all warranty requirements, Malarkey's maximum liability under this warranty is, at its option, to repair or replace the defective shingles or pay the owner an amount not exceeding the cost of the originally installed, affected	[In Table 1's listing of shingles in the first column, note the Scotchgard™ logo mext to their names.] From the date of installation, a SCRS with these shingles has lifetime coverage, subject to the conditions and limitations listed below. For the first twenty [20] years from the date of installation, or those shingles that exhibit discoloration due to bluegreen algae, we will cover the cost, including labor (as reasonably determined by Malarkey), to repair or replace the affected shingles, or simply pay the owner an amount not exceeding the cost of the originally installed, affected shingles. After twenty [20] years, Malarkey's maximum repair or replacement payment obligation is prorated, based on the number of months elapsed in the warranty period. Malarkey shingle systems with Scotchgard™ Protector also require hip and ridge shingles with algae protection, and both Malarkey's EZ-Ridge™ and RidgeFlex™ products feature Scotchgard™ Protector. For claims meeting all warranty is, at its option, to repair or replace the defective shingles or pay the owner an amount not exceeding the cost of the originally installed, affected shingles. From the date of installation, a SCRS with these shingles has ten [10] or fifteen (15] years of coverage (depending on the shingle, subject to the conditions and limitations listed below. For the first twenty [20] years of the AR algae warranty, claims meeting all warranty requirements, Malarkey's EZ-Ridge™ and RidgeFlex™ products feature Scotchgard™ Protector. For claims meeting all warranty requirements, Malarkey's maximum liability under this warranty is, at its option, to repair or replace the defective shingles or pay the owner an amount not exceeding the cost of the originally installed, affected shingles. After five years meeting all warranty requirements, Malarkey's maximum liability under this warranty is, at its option, to repair or replace the defective shingles or pay the owner an amount not exceeding the cost of the originally installed, affected shingles or pay	[In Table 1's listing of shingles in the first column, note the Soctohgard" logo next to their names.] From the date of installation, a SCRS with these shingles has the first coverage, subject to the conditions and limitations listed below. For the first twenty [20] years from the date of installation, a factor to the conditions and limitations listed below. For the first twenty [20] years from the date of installation, a factor to the conditions and limitations listed below. For the first twenty [20] years from the date of installation, of the first five [5] years of coverage [depending on the shingle], subject to the conditions and limitations listed below. For the first twenty [20] years from the date of installation, of the first five [5] years of the AR algae warranty, claims meeting all warranty are quirements. Malarkey is maximum repair or replace the offected shingles, or simply pay the owner an amount not exceeding the cost of the originally installed, affected shingles with algae protection, and both Malarkey's EZ-Ridge" and RidgeFlex' products feature Socthgard" Protector. For claims meeting all warranty requirements, Malarkey's maximum liability under this warranty is, at its option, to repair or replace the defective shingles or pay the owner an amount not exceeding the cost of the originally installed, affected shingles. Alter five [5] years, Malarkey is maximum payment is prorated, the value determined by a certain percentage based on the remaining number of months in the warranty. Malarkey's EZ-Ridge" and RidgeFlex' products feature Socthgard" Protector. For claims meeting all warranty requirements, Malarkey's maximum liability under this warranty is, at its option, to repair or replace the defective shingles or pay the owner an amount not exceeding the cost of the originally installed, affected shingles. After five years, the payment will be prorated until the end of term listed in Table 1, Algoe Resistance Coverage, After the warranty period expires, there is no remedy for algae.	[Shingles with First column, note the Scotchgard" logo next to their names.] From the date of installation, a SCRS with these shingles with the worrange, subject to the conditions and limitations listed below. For the first twenty (20) years of coverage (depending on the shingle), subject to the conditions and limitations listed below. For the first twenty (20) years of coverage (depending on the shingle), subject to the conditions and limitations listed below. For the first twenty (20) years from the date of installation, of those shingles that exhibit discoloration due to blue-green algae, we will cover the cost, including labor (as reasonably determined by Malarkey). The owner an amount not exceeding the cost of the originally installed, affected shingles. After twenty (20) years, Malarkey's maximum repair or replace the offected shingles. After twenty (20) years, Malarkey's maximum repair or replacement payment to shigation is protection, and both Malarkey's Ez-Ridge' and Malarkey's maximum is prorreted, the obligation is protector. Allarkey's maximum repair or the conditions and limitations



If the transfer takes place within the Right $Start^{\mathbb{M}}$ Period, the eligible new owner is entitled to the balance of Right $Start^{\mathbb{M}}$ Period coverage plus the Contractor Workmanship coverage originally stated in the warranty. Lifetime warranty coverage is transferable as long as the subsequent owner maintains the home as their primary residence.

If the transfer occurs *after* the Right Start™ Period expires, the balance of the warranty is reduced to the earlier of: [1] a five [5] year period after the date of ownership change; or [2] the expiration of the Limited Lifetime Warranty. Should there be a discoverable manufacturing defect during this five [5] year period, our obligation to the eligible new owner will be based on the reasonable cost of roofing system replacement, prorated by the duration of use from the original installation date through the date of the claim.

Warranty transfer and payment information can be found online at www.malarkeyroofing.com/warranties/emerald-pro-premium-warranty-transfer-application or by contacting Malarkey's Warranty Department at (800) 545-1191 or email: malarkey.warrantyinquiries@holcim.com.

REQUIRED COMPONENTS, PROCEDURES AND STANDARDS

- Malarkey Roofing Products" shingles and Malarkey accessory
 products must be installed on the structure to be eligible for the
 Emerald Premium Warranty.
- All work must be completed by a Malarkey Emerald Premium Certified Residential Contractor and installed according to Malarkey's latest published installation instructions and adopted building code.
- The building structure and roof deck must be sound, comply with all local codes and ordinances, and sufficient to support the weight of the roofing system and transient load during application.
- 4. The roof deck must be an acceptable substrate:
 - a. Sheathing panels shall meet adopted building code requirements and be at least 3/8" [10 mm] thick, exterior-grade plywood or 7/16" (11 mm) oriented strand board (OSB).
 - Malarkey requires the installation of sheathing when wood board decking is the existing substrate. Problems with the performance of your roofing system, such as leaks and buckling, increase if installed directly over wood board decks. Failure to use properly conditioned deck materials can result in deck movement, which can damage the roof covering and may void your warranty.
 - Likewise, sheathing panels should be supported, gapped and securely nailed to all framing members per APA recommendations.
 - Installing over existing roofing materials (i.e., re-covering) or deteriorated wood products is not acceptable. A complete tearoff is required.
- Besides replacement of warped or rotted decking, repairs are required at other areas of roof that could lead to leaks unrelated to proper installation of the Malarkey roofing system such as deteriorated chimney mortar joints, etc.

- Application of Arctic Seal* self-adhering membrane is required around sheet metal accessory penetrations, flanges, and flashings.
- 7. Sheet metal flashing, edge metal, and accessories must be installed at roof intersections, vertical transitions to sidewalls, curbs, and chimneys, and around roof openings. New/like new flashings and accessories are required to match the projected life cycle of the roof.
- 8. Smart Start* starter shingles to be applied to both eave and rake edges of the roof.
- Coverage will not take effect until all payments relative to this warranty have been paid in full to Malarkey, the CRC, and material supplier, including costs for warranty registration, installation, supplies, etc.

10. Warranty registration requires proof of purchase.

EXCLUSIONS

The Emerald Premium Warranty covers defects in manufacturing and workmanship. It includes the Malarkey roofing shingles listed in Table 1 and related accessories sold and installed in the U.S. and Canada. Warranty claims that Malarkey determines are cosmetic in nature are not considered manufacturing defects. The warranty does not cover other products such as flashing and metal work or damage to shingles attributable in whole or in part to other causes including, but not limited to:

- Improper ventilation
- Improper transportation, storage, or handling of shingles and/or accessories
- Installation by a contractor other than a Malarkey Emerald Premium Certified Residential Contractor
- Penetrations of the roofing system for installation of rooftop appurtenances (solar panels, satellite dishes, vent pipes, etc.), structural changes, or other alterations to the roof after application of Malarkey roofing products
- Inordinate traffic on the roof for any reason (equipment installation, moss and debris removal, gutter cleaning, etc.)
- Settlement, movement, distortion, failure or cracking of the roof decks, walls or foundations of the building
- Damage to shingles, roof deck, or structure due to ice damming or water backup
- Variation in color (shading) which may occur from the positioning of colored granules on the shingles
- Shading or discoloration of shingles or ridges due to algae (excluding AR or Scotchgard™ shingles as described in the ALGAE RESISTANCE COVERAGE section)
- Deterioration or distortion caused by moss, mold, mildew, or other vegetation, organic compounds, paints, chemicals, or similar materials
- Granule sloughing due to excessive granules on the shingles
- Impact of foreign objects
- Violent or unusual weather conditions, such as flooding, tornadoes, hailstorms, winds in excess of Wind Speed Limits (Table 1), or other extreme forces of nature
- Fire, acts of vandalism, and other, similar occurrences.

Note: Malarkey continually strives to improve shingle durability and enhance our product line. In support of this, Malarkey reserves the right to discontinue or modify any of its products, including the color



blend of shingles, without notice to the owner and shall not be liable to the owner as a result of this modification or discontinuance. If your shingles are no longer available, Malarkey reserves the right to provide you with substitute shingles comparable in quality, price and color to your original shingles.

REGISTRATION

Warranties must be filed online by your Malarkey Certified Roofing Contractor. The warranty registration fee, which will be quoted by your contractor, is payable in US dollars. Malarkey is not responsible for any additional bank fees, taxes or transactions that have been implemented by your banking institution. Please contact your local customs office or banking institutions should you have any questions.

CANADA ONLY: If you would like to pay via business cheque, please mail your payment (business cheque) to the Malarkey Corporate office Attn: Warranty Services Department.

COMPENSATION

Malarkey may, at its sole discretion under this Emerald Premium Warranty, either: [1] issue a combination of cash and/or material credit to an existing supplier of Malarkey roofing materials; or [2] provide replacement materials only. The prorated material costs will be determined by time of use and the original cost of the SCRS at the time of original purchase.

CLAIMS PROCEDURE

- Claims shall be made in writing by certified or registered mail within thirty (30) days of discovery and prior to any permanent repairs (except emergency measures to prevent potential damage to the building or its contents) being made. Include proof of purchase and proof of warranty.
- Malarkey will be given the opportunity to inspect the roof and be provided with samples before any steps are taken to repair the roof.
- 3. After verification, the roofing materials or workmanship are defective, Malarkey will perform its obligations under this warranty within forty-five (45) days of receipt of notice, unless performance is delayed by causes beyond Malarkey's control. Any cost in excess of the prorated adjustment if loss is discovered after the Right Start™ Period will be the owner's responsibility.

SOLE AND EXCLUSIVE WARRANTY

THIS LIMITED WARRANTY IS THE ONLY EXPRESS AND/OR IMPLIED WARRANTY MADE BY MALARKEY IN CONNECTION WITH THE SALE OF ITS PRODUCTS. THE TERMS AND CONDITIONS CONTAINED HEREIN CONSTITUTE THE ENTIRETY OF YOUR LIMITED WARRANTY, REGARDLESS OF ANY FUTURE REVISIONS OF WARRANTY TERMS FOR LATERINSTALLED SHINGLES.

NO REPRESENTATIVE OF MALARKEY OR ANY OTHER PERSON HAS ANY AUTHORITY WHATSOEVER TO ACCEPT FROM OR FOR MALARKEY, ANY ADDITIONAL OR DIFFERENT LIABILITY OR RESPONSIBILITY FOR MALARKEY PRODUCTS. NO SAMPLE WARRANTY AVAILABLE ON MALARKEY'S WEBSITE OR ELSEWHERE WHOSE TERMS AND CONDITIONS DIFFER FROM THOSE CONTAINED HEREIN WILL BE APPLICABLE TO YOUR SHINGLES.

MALARKEY SHALL NOT BE LIABLE FOR DAMAGE TO ANY BUILDING OR CONTENTS OR INJURY TO PERSONS OR FOR ANY CONSEQUENTIAL DAMAGES RESULTING FROM BREACH OF THE WARRANTY OR ANY OTHER WARRANTY OR CONDITION, IMPLIED BY LAW OR OTHERWISE, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS. SOME STATES AND PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES; THIS EXCLUSION MAY NOT BE APPLICABLE IN ALL STATES AND PROVINCES. THIS WARRANTY GIVES SPECIFIC LEGAL RIGHTS; THERE MAY BE OTHER RIGHTS THAT VARY STATE TO STATE AND PROVINCE TO PROVINCE.

THE PARTIES AGREE THAT ANY CLAIM, DISPUTE, OR CONTROVERSY RELATING TO OR ARISING FROM THIS WARRANTY SHALL BE SUBMITTED TO BINDING ARBITRATION UNDER THE RULES OF THE AMERICAN ARBITRATION ASSOCIATION (OR OTHER MUTUALLY ACCEPTABLE ARBITRATOR) THEN IN EFFECT. The expenses of the arbitration shall be allocated among the parties by the arbitrator(s) as part of the award, which shall include the prevailing party's reasonable attorneys' fees and costs, including expert fees. THIS IS A BINDING ARBITRATION PROVISION THAT MAY BE ENFORCED BY THE PARTIES.

This warranty is enforceable only by the original owner named below or the eligible new owner who has filed a timely warranty transfer request and received confirmation from Malarkey the transfer was accepted.

This Emerald Premium Warranty will not be valid until the Emerald Premium Certified Residential Contractor who installed the roof completes the WARRANTY REGISTRATION online at www.malarkeyroofing.com, and the warranty has been accepted by Malarkey Roofing Products.

The owner and eligible new owner should retain all documents and proofs of purchase of Malarkey products for submission to Malarkey should a claim arise.

If you have questions about warranty coverage, contact your roofing contractor, Emerald Premium sales representative, or Malarkey's Warranty Department by phone at [800] 545-1191 or email: malarkey.warrantyinquiries@holcim.com.

 $\label{lem:malarkey} Malarkey's website at {\color{blue} www.malarkeyroofing.com/homeowners/certified-contractors} is another good source of information. \\$

Mailing Address:

P.O. Box 17217 Portland, OR 97217

Office: 503.283.1191 | 800.545.1191 | Fax: 503.289.7644 www.MalarkeyRoofing.com


PLEASE NOTE:

THIS IS A SAMPLE WARRANTY. IT IS YOUR CONTRACTOR'S RESPONSIBILITY TO REGISTER YOUR WARRANTY. ONCE YOU RECEIVE A WARRANTY CERTIFICATE FROM YOUR CONTRACTOR, PLEASE CALL 800.545.1191 AND ASK FOR THE WARRANTY SERVICES DEPARTMENT IF YOU WISH TO SEE A COPY OF YOUR WARRANTY.

Rev. 01/24







Thank you for choosing MALARKEY ROOFING PRODUCTS®

to protect your home, and help preserve our environment.

- SAMPLE -





mooning i ro	ducts	Pi	RIOR TO JOB ST	ART MAY I	RESULT IN ADDITI	ONAL W	ROJECTS 200 SQUAF ARRANTY FEES OR	NON-ISSUANCE C	OF WARRANTY	III AFFEICATION
MALARKEY EMERALD PR	REMIUM CONT	RACTOR IN	NFORMATIC	N						
ROOFING CONTRACTOR					FAX	FAX			TELEPHONE	<u> </u>
CONTACT NAME					MOI	MOBILE			EMAIL	
ADDRESS					CIT	CITY, STATE			ZIP	
PROJECT INFORMATION					DIS	DISTRIBUTOR				
BUILDING NAME/NUMBERS					ADI	ADDRESS			CITY, STATE, ZIP	
DDRESS	CITY, STATE, ZIP			TEL	.EPHON	E		EMAIL		
BUILDING OWNER	CITT, STATE, ZIP		_		_		2111/112			
		TV 07475 710			TELEPHO	NIE-				
ADDRESS		TY, STATE, ZIP			TELEPHO	INE.		EIVIA	AIL	
PROJECT GENERAL CONTRACTO	OR				_					
DDRESS	CI	TY, STATE, ZIP			TELEPHO	NE		EMA	AIL	
PROJECT CONSULTANT					_					
ADDRESS	CI	TY, STATE, ZIP			TELEPHO	NE		EMA	AIL	
	DECK	N ONE BUILDIN	UNDERLAYE # OF LAYE	MENT/	NAIL LENGTH	RIDGE	E SHINGLE USED	RIDGE NAIL LENGTH	SQUARES	FASTENERS PER SHINGLE
tart date changes or is unknown			UNDERLAYN	MENT/		RIDGE	E SHINGLE USED		SQUARES	
SHINGLE & COLOR SHOPE OPTIONS (CO	DECK	SLOPE) SQUARES PE	UNDERLAYI # OF LAYI	MENT/ ERS	NAIL LENGTH	MPONE		LENGTH	TEM)	
SHINGLE & COLOR COW SLOPE OPTIONS (CO	DECK VERAGE UP TO 10	SLOPE) SQUARES PE	UNDERLAYN # OF LAYE	MENT/ ERS	NAIL LENGTH	MPONE	NTS IN EACH OMNIS	LENGTH SEAL™ ROOF SYS	TEM)	
SHINGLE & COLOR COW SLOPE OPTIONS (CO SYSTEM A: 2-PLY VENTING	DECK VERAGE UP TO 10 SYSTEM B: 2-PLY	SLOPE O SQUARES PEI SYST	UNDERLAYI # OF LAYI R BUILDING; SE	MENT/ ERS E WARRAI	NAIL LENGTH NTY FOR THE COI	MPONE	NTS IN EACH OMNIS SYSTEM E: 2-PLY	LENGTH SEAL™ ROOF SYS	TEM)	SHINGLE
SHINGLE & COLOR SHINGLE & COLOR OW SLOPE OPTIONS (CO SYSTEM A: 2-PLY FING RIDGE VENT (TYPE/MFR)	DECK VERAGE UP TO 10 SYSTEM B: 2-PLY	SLOPE O SQUARES PEI SYST	UNDERLAYI # OF LAYI R BUILDING; SE	MENT/ ERS E WARRAI	NAIL LENGTH NTY FOR THE COI STEM D: 3-PLY	MPONE	NTS IN EACH OMNIS SYSTEM E: 2-PLY	LENGTH SEAL™ ROOF SYS SYSTEM	F: 3-PLY	SYSTEM G: 3-PLY
SHINGLE & COLOR SHINGLE & COLOR OW SLOPE OPTIONS (CO SYSTEM A: 2-PLY FING RIDGE VENT (TYPE/MFR) CAN VENT (TYPE/MFR)	DECK VERAGE UP TO 10 SYSTEM B: 2-PLY	SLOPE O SQUARES PEI SYST	UNDERLAYI # OF LAYI R BUILDING; SE	MENT/ ERS E WARRAI	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY ST AB	MPONEI	NTS IN EACH OMNIS SYSTEM E: 2-PLY	LENGTH SEAL™ ROOF SYS SYSTEM	F: 3-PLY	SYSTEM G: 3-PLY
SHINGLE & COLOR OW SLOPE OPTIONS (CO SYSTEM A: 2-PLY PENTING RIDGE VENT (TYPE/MFR) CAN VENT (TYPE/MFR) POWER (TYPE/MFR)	DECK VERAGE UP TO 10 SYSTEM B: 2-PLY	SLOPE O SQUARES PEI SYST	UNDERLAY! # OF LAY! R BUILDING; SE TEM C: 3-PLY	E WARRAI	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY STEM D: 3-PLY IN:	MPONEI FARTER BOVE DE SULATI	NTS IN EACH OMNIS SYSTEM E: 2-PLY	LENGTH SEAL™ ROOF SYS SYSTEM ION?	F: 3-PLY	SYSTEM G: 3-PLY
SHINGLE & COLOR SHINGLE & COLOR COW SLOPE OPTIONS (CO SYSTEM A: 2-PLY SYSTEM A: 2-PLY CAN VENT (TYPE/MFR) POWER (TYPE/MFR) At	DECK EVERAGE UP TO 10 SYSTEM B: 2-PLY Then an Architect or tach a roof sketch is	SLOPE O SQUARES PEI Sys1 Specifier general dentifying areas	UNDERLAY! # OF LAY! R BUILDING; SE TEM C: 3-PLY	E WARRAI	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY STEM D: 3-PLY IN:	MPONEI FARTER BOVE DE SULATI	NTS IN EACH OMNIS SYSTEM E: 2-PLY ECK, RIGID INSULAT ON (TYPE/MFR)	LENGTH SEAL™ ROOF SYS SYSTEM ION?	F: 3-PLY	SYSTEM G: 3-PLY
SHINGLE & COLOR OW SLOPE OPTIONS (CO SYSTEM A: 2-PLY PENTING RIDGE VENT (TYPE/MFR) CAN VENT (TYPE/MFR) POWER (TYPE/MFR)	DECK EVERAGE UP TO 10 SYSTEM B: 2-PLY Then an Architect or tach a roof sketch is	SLOPE O SQUARES PEI Sys1 Specifier general dentifying areas	UNDERLAY! # OF LAY! R BUILDING; SE TEM C: 3-PLY	E WARRAI	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY STEM D: 3-PLY IN:	MPONEI FARTER BOVE DE SULATI	NTS IN EACH OMNIS SYSTEM E: 2-PLY ECK, RIGID INSULAT ON (TYPE/MFR)	LENGTH SEAL™ ROOF SYS SYSTEM ION?	F: 3-PLY	SYSTEM G: 3-PLY
SHINGLE & COLOR SHINGLE & COLOR COW SLOPE OPTIONS (CO SYSTEM A: 2-PLY FENTING CAN VENT (TYPE/MFR) POWER (TYPE/MFR) W At	DECK EVERAGE UP TO 10 SYSTEM B: 2-PLY Then an Architect or tach a roof sketch is	SLOPE O SQUARES PEI Sys1 Specifier general dentifying areas	UNDERLAY! # OF LAY! R BUILDING; SE TEM C: 3-PLY	E WARRAI	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY STEM D: 3-PLY IN:	MPONEI FARTER BOVE DE SULATI	NTS IN EACH OMNIS SYSTEM E: 2-PLY ECK, RIGID INSULAT ON (TYPE/MFR)	LENGTH SEAL™ ROOF SYS SYSTEM ION?	F: 3-PLY	SYSTEM G: 3-PLY
SHINGLE & COLOR SHINGLE & COLOR COW SLOPE OPTIONS (CO SYSTEM A: 2-PLY FINTING CAN VENT (TYPE/MFR) POWER (TYPE/MFR) W At	DECK EVERAGE UP TO 10 SYSTEM B: 2-PLY Then an Architect or tach a roof sketch is	SLOPE O SQUARES PEI Sys1 Specifier general dentifying areas	UNDERLAY! # OF LAY! R BUILDING; SE TEM C: 3-PLY	E WARRAI	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY STEM D: 3-PLY IN:	MPONEI FARTER BOVE DE SULATI	NTS IN EACH OMNIS SYSTEM E: 2-PLY ECK, RIGID INSULAT ON (TYPE/MFR)	LENGTH SEAL™ ROOF SYS SYSTEM ION?	F: 3-PLY	SHINGLE SYSTEM G: 3-PLY O (MUST BE VENTED
SHINGLE & COLOR SHINGLE & COLOR OW SLOPE OPTIONS (CO SYSTEM A: 2-PLY FENTING CAN VENT (TYPE/MFR) POWER (TYPE/MFR) Additional notes, including mat	DECK VERAGE UP TO 10 SYSTEM B: 2-PLY then an Architect or tach a roof sketch interial details, etc.	SLOPE O SQUARES PEI Sys1 Specifier general dentifying areas	UNDERLAY! # OF LAY! R BUILDING; SE TEM C: 3-PLY	E WARRAI	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY STEM D: 3-PLY IN:	MPONEI FARTER BOVE DE SULATI	NTS IN EACH OMNIS SYSTEM E: 2-PLY ECK, RIGID INSULAT ON (TYPE/MFR)	LENGTH SEAL™ ROOF SYS SYSTEM ION?	F: 3-PLY	SHINGLE SYSTEM G: 3-PLY O (MUST BE VENTED)
SHINGLE & COLOR SHINGLE & COLOR COW SLOPE OPTIONS (CO SYSTEM A: 2-PLY FIDGE VENT (TYPE/MFR) CAN VENT (TYPE/MFR) POWER (TYPE/MFR) Additional notes, including mat	DECK VERAGE UP TO 10 SYSTEM B: 2-PLY then an Architect or tach a roof sketch is derial details, etc.	SLOPE O SQUARES PEI Sys1 Specifier general dentifying areas	UNDERLAY! # OF LAY! R BUILDING; SE TEM C: 3-PLY	E WARRAI	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY STEM D: 3-PLY IN:	MPONEI FARTER BOVE DE SULATI	NTS IN EACH OMNIS SYSTEM E: 2-PLY ECK, RIGID INSULAT ON (TYPE/MFR)	LENGTH SEAL™ ROOF SYS SYSTEM ION?	F: 3-PLY	SHINGLE SYSTEM G: 3-PLY O (MUST BE VENTED
SHINGLE & COLOR SHINGLE & COLOR OW SLOPE OPTIONS (CO SYSTEM A: 2-PLY SYSTEM A: 2-PLY CAN VENT (TYPE/MFR) CAN VENT (TYPE/MFR) POWER (TYPE/MFR) Additional notes, including mat	DECK VERAGE UP TO 10 SYSTEM B: 2-PLY then an Architect or tach a roof sketch is derial details, etc.	SLOPE D SQUARES PEI Syst Specifier general dentifying areas	UNDERLAYI # OF LAYI # OF LAYI R BUILDING; SE TEM C: 3-PLY ates plans, specifo be covered un	E WARRAI SY	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY STEM D: 3-PLY AB IN: ad/or details for the arranty.	MPONEI ARTER SOVE DE SULATI project,	NTS IN EACH OMNIS SYSTEM E: 2-PLY ECK, RIGID INSULAT ON (TYPE/MFR) please provide a cop	LENGTH SEAL™ ROOF SYS SYSTEM ION?	F: 3-PLY	SHINGLE SYSTEM G: 3-PLY O (MUST BE VENTED
SHINGLE & COLOR OW SLOPE OPTIONS (CO SYSTEM A: 2-PLY CENTING RIDGE VENT (TYPE/MFR) CAN VENT (TYPE/MFR) POWER (TYPE/MFR) Additional notes, including mat	DECK VERAGE UP TO 10 SYSTEM B: 2-PLY then an Architect or tach a roof sketch is terial details, etc.	Specifier general dentifying areas	UNDERLAYI # OF LAYI # OF LAYI R BUILDING; SE TEM C: 3-PLY ates plans, specifo be covered un	E WARRAI SY	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY STEM D: 3-PLY AB IN: ad/or details for the arranty.	MPONEI TARTER SOVE DE SULATI project,	NTS IN EACH OMNIS SYSTEM E: 2-PLY ECK, RIGID INSULAT ON (TYPE/MFR) please provide a cop	LENGTH SEAL™ ROOF SYS SYSTEM ION?	F: 3-PLY	SHINGLE SYSTEM G: 3-PLY O (MUST BE VENTED
SHINGLE & COLOR SHINGLE & COLOR COW SLOPE OPTIONS (CO SYSTEM A: 2-PLY SYSTEM A: 2-PLY CAN VENT (TYPE/MFR) POWER (TYPE/MFR) NON-REFUNDABLE WARRANTY NOTICE OF COMPLETION Roofing and Flashing systems we contractor representative MALARKEY USE ONLY	DECK VERAGE UP TO 10 SYSTEM B: 2-PLY then an Architect or tach a roof sketch is derial details, etc. FEE vere completed in	SLOPE D SQUARES PEI Syst Specifier generate dentifying areas :	UNDERLAYI # OF LAYI # OF LAYI R BUILDING; SE TEM C: 3-PLY ates plans, specifor to be covered under the	E WARRAI SY	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY STEM D: 3-PLY AB IN: ad/or details for the arranty.	MPONEI TARTER SOVE DE SULATI project,	NTS IN EACH OMNIS SYSTEM E: 2-PLY ECK, RIGID INSULAT ON (TYPE/MFR) please provide a cop	LENGTH SEAL™ ROOF SYS SYSTEM ION?	SUBMIT	SHINGLE SYSTEM G: 3-PLY O (MUST BE VENTED:
LOW SLOPE OPTIONS (CO SYSTEM A: 2-PLY VENTING RIDGE VENT (TYPE/MFR) CAN VENT (TYPE/MFR) POWER (TYPE/MFR) At	DECK IVERAGE UP TO 10 SYSTEM B: 2-PLY then an Architect or tach a roof sketch is terial details, etc. FEE IVERAGE UP TO 10 SYSTEM B: 2-PLY Then an Architect or tach a roof sketch is terial details, etc.	Specifier general dentifying areas	UNDERLAYI # OF LAYI # OF LAYI R BUILDING; SE TEM C: 3-PLY ates plans, specifor to be covered under the	E WARRAI SY	NAIL LENGTH NTY FOR THE COL STEM D: 3-PLY STEM D: 3-PLY IN: ad/or details for the arranty.	MPONEI TARTER SOVE DE SULATI project,	NTS IN EACH OMNIS SYSTEM E: 2-PLY ECK, RIGID INSULAT ON (TYPE/MFR) please provide a cop	LENGTH SEAL™ ROOF SYS SYSTEM ION?	SUBMIT	SHINGLE SYSTEM G: 3-PLY O (MUST BE VENTED)





i echnicai Services Dept. •	P.O. Box 17217 • Portland, OR	97217 • Phone: (503) 283-1191 • www.malarkeyroofing.com
Warranty No.:		Contractor:
Project Name:		Address:
Building:		City, State, Zip:
Address:		Roof System-Spec (A):
City, State, Zip:		Roof System-Spec (B):
Owner:		Roof System-Spec (C):
Address:		Roof Area:
City, State, Zip:		Length of Warranty:
Completion Date:		Maximum Liability:
ssue Date:		SEE ATTACHMENT "A" with Maintenance & Repair Guidelines
system specified above will remain in a repairs at its own expense if required at 1. Deterioration of the Malarkey roof 2. Deficit workmanship on the part of 3. Blisters, bare spots, fishmouths, w. 4. Splits in the Malarkey roofing membase flashing; or 5. Slippage of the roofing membrane. This warranty is subject to the following	watertight condition for the above-listed is a result of the following causes ("Covering membrane or base flashing system re if the Malarkey Commercial Approved Ap, rinkles or ridges in the roofing system; nbrane unless caused by structural move or base flashing. additional terms and conditions:	It subject to the conditions and limitations contained in this agreement, the roofing period of years from the COMPLETION DATE. If leaks occur, Malarkey will initiate ad Repairs'): isulting from ordinary wear and tear by the elements; isulting from ordinary wear and tear by the elements; inicator in the application of the Malarkey roofing membrane or base flashing system; ment or failure, or by movement of any material underlying the roofing membrane or and Malarkey flashing products which are applied by a Malarkey Commercial Approved.
Applicator in accordance with ther systems, and roof insulation (when 2. All repairs must be authorized in a	n-current Malarkey specifications. Such specifications and specifications insulated). Individuance by Malarkey. Individuance by Malarkey. Individual and the specification in	pecifications include, without limitation, use of pre-approved asphalt, base flashing s warranty have been paid to Malarkey in full and all costs for installation and supplies
		ey written notice within thirty (30) days after the leak is discovered or should, by to Malarkey at the above address by registered or certified mail.
limited to the following: 1. Natural disasters including, but nc substrate materials; such substrat 3. Changes in building usage, without 4. Repairs or alterations to the roofir 5. Damage resulting from insallatior and materials to be used and unle be limited to: solar/PV equipment, 6. Lack of positive drainage (resultin 7. Movement or deterioration of acce	It limited to: floods, lightning, hail, earthqu movement of any substrate material und e would include but would not be limited it prior written approval by Malarkey; og system after completion unless done in , alterations or repairs on or through the sss performed by a Malarkey Commercial signs, water or cell phone towers, sprink g in standing water that will not evaporate sesories adjacent to, built into, or used in	n a manner prescribed by Malarkey and approved in writing; roof after the completion date without prior written approval by Malarkey of the method Approved Applicator. Such installations, alterations and repairs will include, but are no ler systems, HVAC equipment, and radio and television antennae;
	hers; ign objects;	nent installation, use as a storage area, recreational surface, or other similar purpose);
installation of a replacement roof memba approved by Malarkey in advance. Mala	prane. Such repairs or replacement must	alarkey will be liable only for the cost of repair of the existing roof membrane or be undertaken by a Malarkey Commercial Approved Applicator, and all repair costs er components of the roof or to the building or contents; or for incidental or failure of the roofing system.
	of merchantability or fitness for a particula	or use or purpose, and this warranty is in lieu of and excludes all other warranties, ne roofing system will be the cost of repairs or replacement as specified herein.
at that time. Any repairs found to be red		at least seven (7) days prior to transfer. A roof inspection will be scheduled by Malarke paid for by the owner. Once such repairs have been completed by a Malarkey nent of a transfer fee.
During the «Year» year of this was the roof, outlining repair work that If the owner elects to exercise the at owner's sole expense, the repa completed, renewal payment mad Jupon payment of a charge which acceptable, this warranty will be e All conditions of this warranty, exc	rranty, if the owner of the building so requishould be done. if option to renew this contract, they shall in work described in the report, shall pay it, and notification given to Malarkey not in shall not exceed Malarkey's then-current xtended for an additional «EXTenWarrs» yept this section G, shall apply for the renewall apply for the renew	ewal period.
Attest:	Matthew Felt	duly executed on the date set forth above.
Technical Services Manager	Mannew Fen	



MALARKEY APPROVED	CONTRAC	TOR INFO	RMATION						
ROOFING CONTRACTOR					FA)	х		TELEPHONE	
CONTACT NAME					MO	BILE		EMAIL	
ADDRESS					CIT	Y, STATE		ZIP	
PROJECT INFORMATION					DIS	STRIBUTOR			
BUILDING NAME/NUMBERS					ADDRESS			CITY, STATE, ZIP	
ADDRESS		CITY, STATE, ZIP			TEI	TELEPHONE		EMAIL	
BUILDING OWNER									
ADDRESS		CITY, STATE	, ZIP		TELEPHO	ONE	EN	MAIL	
PROJECT GENERAL CONTRAC	TOR								
ADDRESS		CITY, STATE	, ZIP		TELEPHO	ONE	EN	MAIL	
PROJECT ARCHITECT									
ADDRESS		CITY, STATE	, ZIP		TELEPHO	ONE	EN	MAIL	
PROJECT CONSULTANT								EMAIL	
DDRESS ROOFING SYSTEM INFO	DRMATION TEAR-OFF EN	TIRE BUILDI	ecifics in the note RE-COVER/OVE NG'S ROOF? DNE BUILDING, PLE VAPOR	ERLAY YES N EASE CONTAC	IO	nat areas?	DE MEMBRANE	SOLIABES	BASE FLASHIN
ADDRESS ROOFING SYSTEM INFO NEW CONSTRUCTION START DATE (Contact Malarkey start date changes or is unknown	DRMATION TEAR-OFF if ''F'	(Provide sp = □ TIRE BUILDI	ecifics in the noted RE-COVER/OVE NG'S ROOF?	ERLAY YES N EASE CONTAC	V) IO If not, when the state of	nat areas?	DE	SOLIABES	
ADDRESS ROOFING SYSTEM INFO NEW CONSTRUCTION START DATE (Contact Malarkey start date changes or is unknown	DRMATION TEAR-OFF if ''F'	(Provide sp = □ TIRE BUILDI	ecifics in the note RE-COVER/OVE NG'S ROOF? DNE BUILDING, PLE VAPOR	ERLAY YES N EASE CONTAC	IO If not, when the control of the c	nat areas?	DE MEMBRANE	SOLIABES	BASE FLASHIN
ADDRESS ROOFING SYSTEM INFO NEW CONSTRUCTION START DATE (Contact Malarkey start date changes or is unknown SYSTEM SPEC	DRMATION TEAR-OFF EN' TEAR-OFF	(Provide sp	ecifics in the note RE-COVER/OVE NG'S ROOF? ONE BUILDING, PLE VAPOR BARRIER	YES N N N N N N N N N N N N N N N N N N N	ov) If not, when the second s	nat areas?	MEMBRANE ADHESIVE/MFO	SQUARES	BASE FLASHIN
ROOFING SYSTEM INFO NEW CONSTRUCTION START DATE (Contact Malarkey start date changes or is unknown SYSTEM SPEC	TEAR-OFF If EN' DECK DECK	(Provide sp	ecifics in the note RE-COVER/OVE NG'S ROOF? ONE BUILDING, PLE VAPOR BARRIER	PRIAY I YES NO	ov) If not, where the state of	nat areas? INSULATION ATTACHMENT/MFG	MEMBRANE ADHESIVE/MFO	SQUARES	BASE FLASHIN
→ Wr Att	TEAR-OFF If EN' DECK DECK DECK	(Provide sp	ecifics in the note RE-COVER/OVE NG'S ROOF? ONE BUILDING, PLE VAPOR BARRIER generated plans,	PRICE INSULATE & Specifications ed under this	ov) If not, where the state of	nat areas? INSULATION ATTACHMENT/MFG	MEMBRANE ADHESIVE/MFC	SQUARES Malarkey.	BASE FLASHIN
ROOFING SYSTEM INFO NEW CONSTRUCTION START DATE (Contact Malarkey start date changes or is unknown SYSTEM SPEC White Additional notes, including management of the start of	DRMATION TEAR-OFF If EN' DECK DECK Jen an Architect ach Roof Sketch naterial detail	(Provide sp	ecifics in the note RE-COVER/OVE NG'S ROOF? ONE BUILDING, PLE VAPOR BARRIER generated plans, areas to be covered DABLE WARRANT	PRILAY IYES INSULAT Specifications ed under this	io If not, when the control of the c	INSULATION ATTACHMENT/MFG	MEMBRANE ADHESIVE/MFC	SQUARES Malarkey.	BASE FLASHIN SHEETS
ROOFING SYSTEM INFO NEW CONSTRUCTION START DATE (Contact Malarkey tart date changes or is unknown system spec) What is a specific start of the system spec) WARRANTY LENGTH NOTICE OF COMPLETIO Roofing and Flashing systems	DECK DECK	(Provide sp	ecifics in the note RE-COVER/OVE NG'S ROOF? ONE BUILDING, PLE VAPOR BARRIER generated plans, areas to be covered DABLE WARRANT	PRILAY IYES INSULAT Specifications ed under this	io If not, when the control of the c	INSULATION ATTACHMENT/MFG Is for the project, please	MEMBRANE ADHESIVE/MFC	SQUARES Malarkey.	VIA EMAII
ADDRESS ROOFING SYSTEM INFO NEW CONSTRUCTION START DATE (Contact Malarkey start date changes or is unknown system spec When Att Additional notes, including markey including markey speces and specific speci	DRMATION TEAR-OFF If EN' DECK DECK Jen an Architect ach Roof Sketch naterial detail N S were comple E (PLEASE PRI	(Provide sp	ecifics in the note RE-COVER/OVE NG'S ROOF? ONE BUILDING, PLE VAPOR BARRIER generated plans, areas to be covered DABLE WARRANT ordance with Ma	PRILAY IYES INSULAT Specifications ed under this	if not, when the control of the cont	INSULATION ATTACHMENT/MFG Is for the project, please	MEMBRANE ADHESIVE/MFC	SQUARES Malarkey.	VIA EMAII





Technical Services Dept. •		
	P.O. Box 17217 • Portland, O	R 97217 • Phone: (800) 545-1191 • www.malarkeyroofing.com
Varranty No.:		Contractor:
roject Name:		Address:
ddress:		City, State, Zip:
City, State, Zip:		Roof System-Spec (A):
OWNER:		Roof System-Spec (B):
Address:		Roof System-Spec (C):
ity, State, Zip:		Roof Area:
completion Date:		Length of Warranty:
•		
ssue Date:		Maximum Liability: No Dollar Limit
		SEE ATTACHMENT "A" With Maintenance & Repair Guidelines
roofing system specified above will rer at its own expense if required as a res 1. Deterioration of the Malarkey roo 2. Deficit workmanship on the part	main in a watertight condition for a perio sult of the following causes ("Covered Re ofing system resulting from ordinary wea of the Malarkey Commercial Approved A	
accordance with then current Ma	e-approved Malarkey shingle roofing sys alarkey specifications. Such specification	terns, which are applied by a Malarkey Commercial Approved Applicator and in s include, without limitation, use of pre-approved fasteners, underlayment and other
associated products for the shing 2. All repairs must be authorized in 3. This warranty will not be in effect have been paid in full to the cont	advance by Malarkey. t unless all premium charges relative to t	his warranty have been paid to Malarkey in full and all costs for installation and supplies
		rkey written notice within thirty (30) days after the leak is discovered or should, by ng to Malarkey at the above address by registered or certified mail.
limited to the following: Natural disasters including, but n Structural movement or failure or such substrate would include but and the constance of the cons	not limited to floods, lightning, hail, earth r movement of any substrate material ur t would not be limited to insulation and v out prior written approval by Malarkey; ing system after completion unless done no, alterations or repairs on or through the less performed by a Malarkey Commerc- igns, water or cell phone towers, sprinkl right way to the light way to the light way to the light way to the light way to light way light way to light way to	pole control of Malarkey or from abuse or mistreatment; these exclusions include but are nequakes, wind storms, tornadoes and hurricanes; derlying the roofing shingles, including defects in application of such substrate materials; apor retarders; in a manner prescribed by Malarkey and approved in writing; he roof after the completion date without prior written approval by Malarkey of the method: lal Approved Applicator. Such installations, alterations and repairs will include, but are not er systems, HVAC equipment, and radio or television antennae; to conjunction with the shingle roofing system;
 Damage to the roofing system fro Building design or construction; Failure of materials supplied by o Damage caused by impact of for 	om chemicals; others; reign objects;	
	e traffic on the roof for any reason (equip ite or negligent act in maintaining the roo	ment installation, moss and debris removal, gutter cleaning, etc.); of;
Variation in color (shading) which	h may occur from the positioning of color essive amount of granules on the shingle	red granules on the shingles;
of a replacement roofing system. Such Malarkey in advance. Malarkey will no	repairs or replacement must be underta	Malarkey will be liable only for the cost of repair of the existing roofing system or installatio aken by a Malarkey Commercial Approved Applicator and all repair costs approved by ents of the roof or to the building or contents; or for incidental or consequential damages; ystem.
	of merchantability or fitness for a partic	ular use or purpose and this warranty is in lieu of and excludes all other warranties, the roofing system will be the cost of repairs or replacement as specified herein.
at that time. Any repairs found to be re		er at least seven (7) days prior to transfer. A roof inspection will be scheduled by Malarker be paid for by the owner. Once such repairs have been completed by a Malarkey yment of a transfer fee.
Standard Malarkey Warranty: At duration of that warranty period,	the end of this warranty period, the warr as defined by the type of shingle installed	on, these shingles will resist damages from winds up to 110 mph (177 kph). ranty will revert to the then standard Malarkey Shingle and Accessory Warranty for the di, and all standard terms and conditions of that warranty will apply. hingle and Accessory Warranty for coverages relative to the particular shingle installed.
In Witness Whereof: Malarkey Roofing Attest:	g Products® has caused this warranty to	be duly executed on the date set forth above.
Technical Services Manager	Matthew Felt	
President	Gregory B. Malarkey	



MALARKEY APPROVED C	ONTRACTOR INFORM	ATION					
ROOFING CONTRACTOR				(TELEPHONE	
CONTACT NAME				BILE		EMAIL	
ADDRESS				Y, STATE		ZIP	
PROJECT INFORMATION				TRIBUTOR			
BUILDING NAME/NUMBERS			ADDRESS			ZIP	
ADDRESS	CITY, STATE, ZIP		TEL	LEPHONE		EMAIL	
BUILDING OWNER			_				
ADDRESS	CITY, STATE, ZIP		TELEPHO	ONE		AIL	
PROJECT GENERAL CONTRACTO)R		_				
ADDRESS	CITY, STATE, ZIP		TELEPHO	ONE	<u>EM</u>	AIL	
PROJECT ARCHITECT			_				
ADDRESS	CITY, STATE, ZIP		TELEPHO	ONE	<u>EM</u>	AIL	
PROJECT CONSULTANT			_				
ADDRESS	CITY, STATE, ZIP		TELEPHO	ONE	<u>EM</u>	A 11	
OVERLAY/RECOVERS REQUIRE MALA NEW CONSTRUCTION TEAR TART DATE (Contact Malarkey if	RKEY PRIOR APPROVAL.	ROOF? TYES	□ NO If not, wh	nat areas?	DES	SCRIBE ROOF A	.ccess
OVERLAY/RECOVERS REQUIRE MALA NEW CONSTRUCTION TEAR START DATE (Contact Malarkey if tart date changes or is unknown)	RKEY PRIOR APPROVAL. -OFF ENTIRE BUILDING'S *IF MORE THAN ONE BU	ROOF? YES I	☑ NO If not, wh		RIDGE NAIL		FASTENERS PE
OVERLAY/RECOVERS REQUIRE MALA NEW CONSTRUCTION TEAR START DATE (Contact Malarkey if	IRKEY PRIOR APPROVAL. I-OFF ENTIRE BUILDING'S "IF MORE THAN ONE BL	ROOF? □ YES ┃	□ NO If not, wh			SCRIBE ROOF A	
OVERLAY/RECOVERS REQUIRE MALA NEW CONSTRUCTION TEAR START DATE (Contact Malarkey if start date changes or is unknown)	RKEY PRIOR APPROVAL. -OFF ENTIRE BUILDING'S *IF MORE THAN ONE BU	ROOF? YES I	☑ NO If not, wh		RIDGE NAIL		FASTENERS PE
NEW CONSTRUCTION TEAR START DATE (Contact Malarkey if start date changes or is unknown) SHINGLE & COLOR	RKEY PRIOR APPROVAL. -OFF ENTIRE BUILDING'S *IF MORE THAN ONE BU	ROOF? YES I	□ NO If not, wh NTACT MALARKEY. NAIL LENGTH	RIDGE SHINGLE USED	RIDGE NAIL		FASTENERS PE
OVERLAY/RECOVERS REQUIRE MALA NEW CONSTRUCTION TEAR START DATE (Contact Malarkey if start date changes or is unknown) SHINGLE & COLOR VENTING RIDGE VENT (TYPE/MFR)	RKEY PRIOR APPROVAL. -OFF ENTIRE BUILDING'S *IF MORE THAN ONE BU	ROOF? YES I	NO If not, wh NTACT MALARKEY. NAIL LENGTH	RIDGE SHINGLE USED	RIDGE NAIL LENGTH	SQUARES	FASTENERS PE SHINGLE
OVERLAY/RECOVERS REQUIRE MALA NEW CONSTRUCTION TEAR BTART DATE (Contact Malarkey if start date changes or is unknown) SHINGLE & COLOR VENTING RIDGE VENT (TYPE/MFR) CAN VENT (TYPE/MFR)	RKEY PRIOR APPROVAL. -OFF ENTIRE BUILDING'S *IF MORE THAN ONE BU	ROOF? YES I	NO If not, wh	RIDGE SHINGLE USED	RIDGE NAIL LENGTH	SQUARES	FASTENERS PE SHINGLE
NEW CONSTRUCTION TEAR START DATE (Contact Malarkey if start date changes or is unknown) SHINGLE & COLOR VENTING CAN VENT (TYPE/MFR) POWER (TYPE/MFR) When	IRKEY PRIOR APPROVAL. I-OFF ENTIRE BUILDING'S "IF MORE THAN ONE BU DECK SLOPE In an Architect or Specifier gener.	ROOF? YES I	NO If not, wh	RIDGE SHINGLE USED TARTER BOVE DECK, RIGID INSUL. ATION (TYPE/MFR)	RIDGE NAIL LENGTH	SQUARES S NO (MUST	FASTENERS PE SHINGLE
OVERLAY/RECOVERS REQUIRE MALA NEW CONSTRUCTION TEAR START DATE (Contact Malarkey if start date changes or is unknown) SHINGLE & COLOR VENTING CAN VENT (TYPE/MFR) POWER (TYPE/MFR) Attacl	REMEY PRIOR APPROVAL. R-OFF ENTIRE BUILDING'S *IF MORE THAN ONE BL DECK SLOPE In an Architect or Specifier general In Roof Sketch identifying areas	ROOF? YES I	NO If not, wh	RIDGE SHINGLE USED TARTER BOVE DECK, RIGID INSUL. ATION (TYPE/MFR)	RIDGE NAIL LENGTH	SQUARES S NO (MUST	FASTENERS PE SHINGLE
NEW CONSTRUCTION TEAR START DATE (Contact Malarkey if start date changes or is unknown) SHINGLE & COLOR VENTING CAN VENT (TYPE/MFR) POWER (TYPE/MFR) When	REMEY PRIOR APPROVAL. R-OFF ENTIRE BUILDING'S *IF MORE THAN ONE BL DECK SLOPE In an Architect or Specifier general In Roof Sketch identifying areas	ROOF? YES I	NO If not, wh	RIDGE SHINGLE USED TARTER BOVE DECK, RIGID INSUL. ATION (TYPE/MFR)	RIDGE NAIL LENGTH	SQUARES S NO (MUST	FASTENERS PE SHINGLE
NEW CONSTRUCTION TEAR START DATE (Contact Malarkey if start date changes or is unknown) SHINGLE & COLOR VENTING RIDGE VENT (TYPE/MFR) CAN VENT (TYPE/MFR) POWER (TYPE/MFR) HOWER (TYPE/MFR) Attacl	REMEY PRIOR APPROVAL. R-OFF ENTIRE BUILDING'S *IF MORE THAN ONE BL DECK SLOPE In an Architect or Specifier general In Roof Sketch identifying areas	ROOF? YES I	NO If not, wh	RIDGE SHINGLE USED TARTER BOVE DECK, RIGID INSUL. ATION (TYPE/MFR)	RIDGE NAIL LENGTH	SQUARES S NO (MUST	FASTENERS PE SHINGLE
OVERLAY/RECOVERS REQUIRE MALA NEW CONSTRUCTION TEAR START DATE (Contact Malarkey if start date changes or is unknown) SHINGLE & COLOR VENTING CAN VENT (TYPE/MFR) POWER (TYPE/MFR) Attacl	REMEY PRIOR APPROVAL. R-OFF ENTIRE BUILDING'S *IF MORE THAN ONE BL DECK SLOPE In an Architect or Specifier general In Roof Sketch identifying areas	ROOF? YES I	NO If not, wh	RIDGE SHINGLE USED TARTER BOVE DECK, RIGID INSUL. ATION (TYPE/MFR)	RIDGE NAIL LENGTH	SQUARES S NO (MUST	FASTENERS PE SHINGLE
START DATE (Contact Malarkey if start date changes or is unknown) SHINGLE & COLOR VENTING CAN VENT (TYPE/MFR) POWER (TYPE/MFR) Number of the color of the co	RKEY PRIOR APPROVAL. I-OFF ENTIRE BUILDING'S *IF MORE THAN ONE BUILDING'S THE MORE THAN ONE BUILDING SHOW THE BUIL	ROOF? YES I	NO If not, wh	RIDGE SHINGLE USED TARTER BOVE DECK, RIGID INSUL. ATION (TYPE/MFR)	ATION? YES	SQUARES S NO (MUST	FASTENERS PE SHINGLE
START DATE (Contact Malarkey if start date changes or is unknown) SHINGLE & COLOR VENTING CAN VENT (TYPE/MFR) POWER (TYPE/MFR) Number of the color of the co	REMEY PRIOR APPROVAL. R-OFF ENTIRE BUILDING'S *IF MORE THAN ONE BL DECK SLOPE In an Architect or Specifier general In Roof Sketch identifying areas	ROOF? YES I	NO If not, wh	RIDGE SHINGLE USED TARTER BOVE DECK, RIGID INSUL. ATION (TYPE/MFR)	ATION? YES	SQUARES S NO (MUST	FASTENERS PE SHINGLE
Additional notes, including materials.	IRKEY PRIOR APPROVAL. I-OFF ENTIRE BUILDING'S "IF MORE THAN ONE BUILDING'S IN AN Architect or Specifier general h Roof Sketch identifying areas derial details, etc.: NON-REFUNDABLE	ROOF? YES I	NO If not, wh NTACT MALARKEY. NAIL LENGTH ST AB INSUL tions and/or details this warranty.	TARTER BOVE DECK, RIGID INSUL. ATION (TYPE/MFR) s for the project, please pr	ATION? YES	SQUARES S NO (MUST	FASTENERS PE SHINGLE
Additional notes, including materials and Flashing systems were confirmed and Flashing systems with the confirmed and Flashing	RKEY PRIOR APPROVAL. R-OFF ENTIRE BUILDING'S *IF MORE THAN ONE BL DECK SLOPE n an Architect or Specifier gener. h Roof Sketch identifying areas terial details, etc.: NON-REFUNDABLE	ROOF? YES I	NO If not, wh NTACT MALARKEY. NAIL LENGTH ST AB INSUL tions and/or details this warranty.	TARTER	ATION? YES	SQUARES S NO (MUST	FASTENERS PESHINGLE THE BEVENTED) VIA EMAII
**OVERLAY/RECOVERS REQUIRE MALA NEW CONSTRUCTION	RKEY PRIOR APPROVAL. R-OFF ENTIRE BUILDING'S *IF MORE THAN ONE BL DECK SLOPE n an Architect or Specifier gener. h Roof Sketch identifying areas terial details, etc.: NON-REFUNDABLE	ROOF? YES I	NO If not, wh	TARTER	ATION? YES	SQUARES NO (MUST	FASTENERS PESHINGLE THE SHINGLE THE SHINGLE THE SHINGLE THE SHINGLE THE SHINGLE THE SHINGLE
VENTING RIDGE VENT (TYPE/MFR) CAN VENT (TYPE/MFR) POWER (TYPE/MFR) When	RKEY PRIOR APPROVAL. ROFF ENTIRE BUILDING'S *IF MORE THAN ONE BUILDING'S NON-REFUNDABLE WERE COMPLETED IN ACCORDANCE NON-REFUNDABLE WERE COMPLETED IN ACCORDANCE NON-REFUNDABLE WERE COMPLETED IN ACCORDANCE PLEASE PRINT)	ROOF? YES I	NO If not, wh	TARTER	ATION? YES	SQUARES NO (MUST	FASTENERS PESHINGLE THE SHINGLE THE SHINGLE THE SHINGLE THE SHINGLE THE SHINGLE THE SHINGLE



Maintenance and Repair Guidelines

For Your NDL Malarkey Warrantied Roof System



General Information

Thank you for choosing Malarkey Roofing Products® for your new roof system. A quality roof system protects the investment you have in your building, and we at Malarkey appreciate the responsibility you have given us as your product manufacturer. We take this responsibility seriously and will do all in our power to ensure your roof provides protection season after season.

As the owner of a Malarkey roof system, there are things you can do to ensure the continued performance of your new roof. Care and maintenance of the roof are generally simple, and efforts expended for periodic maintenance will pay dividends in extended roof life and reduced problems over the life cycle of your roof.

Malarkey system warranties are provided on applicable roof systems pre-approved by Malarkey and installed by a Malarkey Commercial Approved Applicator in good standing. While Malarkey does not own or operate roofing contractor companies, we do "approve" roofing applicators to apply warrantied systems. Only established contractors who, through their reputation in the industry and community, have proven they apply roofs in a professional manner are eligible to install and repair Malarkey NDL warrantied roof systems. The designation, "Malarkey Commercial Approved Applicator," identifies a contractor who has met our requirements, uses Malarkey's latest, published installation instructions, and is eligible to apply for a Malarkey roof warranty, but it does not designate him/her as an agent for Malarkey.

We encourage building owners to read and be familiar with the terms of their roof system warranty. Additional information concerning your roof or specific conditions can be obtained from Malarkey.

Procedure for Reporting Roof Issues

Should your roof develop a leak, it is very important it be reported as soon as possible — the warranty states within thirty [30] days of discovery. If left unrepaired, leaks can lead to increased damage to the roof system, the building, and its contents.

If a leak is discovered, it should be reported immediately to Malarkey's Technical Services Department by calling 1-800-545-1191 or emailing technicalinquiries@malarkeyroofing.com. The warranty states notice must be given in writing by registered or certified mail (address on page two), but more often than not, these are reported and handled with just a phone call. Our hours are 7:00 am to 5:00 pm, Monday through Friday, Pacific Standard Time. Be prepared to provide the owner's name, address and contact, warranty number, and who to contact for the investigating contractor to gain access to the leak location(s).

Roof Repair

Once a leak is reported, Malarkey will:

- Send an investigation repair request to the original Commercial Approved Applicator (usual practice) or another Malarkey-approved applicator
- Authorize repairs and cover costs under the terms of the warranty
- If not a covered item, we will inform you of our findings and work with you to remedy the problem.

Repairs made at any time during the warranty period must be performed by a Malarkey *Commercial Approved Applicator* to avoid jeopardizing your Malarkey roof warranty. The original contractor will perform repair work in the first two [2] years [or as stated in the contract documents], and Malarkey will cover the balance. If this presents a problem, we will work with you to see if other arrangements can be made. Special circumstances can always occur; contact Malarkey for details or assistance.

Alterations and Modifications

Malarkey recognizes alterations or modifications to a building are sometimes necessary for a variety of reasons. For your Malarkey warranty to remain in force, Malarkey requires changes in building use or anything that could affect, contact, or penetrate the roofing system, be preapproved in writing by Malarkey. Unauthorized alterations or modifications can jeopardize or place restrictions on all or part of the Malarkey warranty.

HOLCIM







Warranty holders can obtain approval for properly designated alterations and modifications by submitting a written request explaining changes along with detailed drawings of the alterations and their locations on the roof to:

Malarkey Roofing Products
Technical Services Department
P.O. Box 17217
Portland, OR 97217-0217
technicalinquiries@malarkeyroofing.com

At Malarkey's discretion, inspection of approved alterations to your roof system may be required. Verifications of completed alterations and/or modifications may sometimes be achieved by mailing an explanation of installation procedures and submission of photographs. If circumstances dictate an inspection of your roof system is required, there may be a charge for the inspection service; costs are limited to Malarkey's reasonable out-of-pocket expenditures, including travel.

Inspection Practices

Malarkey recommends you have semi-annual inspections performed by a qualified individual, preferably in the spring and fall. Inspections are also recommended:

- After a severe storm
- Following installation of rooftop appurtenances
- Following maintenance of existing roof-mounted equipment, e.q., HVAC systems
- When the roof is used as an access path by other trades for any purpose

A log of all persons working on the roof or using it for access is recommended. A log should contain name(s), date, a brief description of activities, and their locations on the roof. Such a log may assist in more rapidly determining leak locations and the cause if damage should occur to your roof system.

During an inspection, the condition of all roof components should be reviewed, noted, and photographed. Include the exterior of the building. Settlement or structural movement can cause damage to roof systems.

Conduct an attic inspection to look for signs of leaks and/or condensation. Ensure all dryer and bathroom vents are exhausting to the exterior. Check to see that intake and exhaust vents are not blocked. Condensation is usually the result of lack of ventilation.

Reports and photos can be forwarded to Malarkey if warranty work is needed, or used by contractors to bid the work. The selection of a contractor for repair work should be done in conjunction with Malarkey. As noted in an earlier section, Roof Repair, the selection of contractor can affect your warranty. Use only Malarkey Commercial Approved Applicators on warrantied roofs. Obtain pre-authorization for all repairs and/or alterations.

Repairs

Areas in need of repair must be corrected with like procedures and materials. Variations to the original application methods may be needed depending upon job circumstances. These variations must be pre-approved by Malarkey.

The owner or in-house maintenance personnel can handle many maintenance repairs, but Malarkey recommends significant repairs or work requiring a working knowledge of roofing is best left to a *Malarkey Commercial Approved Applicator*.

SPECIFIC AREAS OF INSPECTION

Inside the Building

Start on the interior because the first signs of potential problems may be apparent there first. It's important to understand even the smallest leak can be a sign of trouble. Look for and be aware of:

- Dark spots and water stains in attics, on ceilings, in ceiling corners, or around skylights

BUILT-UP AND MODIFIED ROOF SYSTEMS

Roof System and Base Flashings: Carefully check the entire roof surface, protective coatings, vertical base flashings, and areas of sealant application for signs of deteriorated conditions such as:

- Excessive wear and tear or surfacing loss
- Damage such as cuts, punctures, or breaks
- Wind or storm damage; ponding water
- Visible attacks by spilled chemicals (coolant, acids, oil, grease) or environmental contaminants like bird feces
- Unauthorized and/or improperly installed penetrations









Metal Flashings and Roof Accessories

Gravel Stops/Edge Metal: Inspect these areas for separation between the roof membrane and metal, and evidence of rusting, wind damage, or breaks at lap joints.

Metal Roof Jacks: Inspect pipe and vent locations for cracking or separation of membrane sheets from the metal flanges. Check the condition of the secondary application of sealant around the base and where else applied.

Drains and Scuppers: Inspect all locations and clear the outlets of obstructions. Ensure drain bolts are tight and clamping rings are not cracked. Check for voids, gaps, or separations between the roof membrane and metal flanges.

Metal Counter Flashings: Check for rust, damage due to wind or vandalism, and ensure metal is securely fastened. Check the condition of sealants. Replace any missing or damaged metal beyond repair.

Pitch Pans: Though not covered by the warranty, check for cracks or separation between the roof membrane and metal flanges. Inspect existing condition of pitch pan filler for excessive shrinkage.

Metal Wall Copings, Drip Edge Flashing, and Gutters: Inspect the metal for rust, damage due to wind, vandalism, and the condition of seam covers and sealants. Ensure coping is securely fastened.

Roof-Mounted Equipment: Curb-mounted vents, ducts, skylights, and HVAC units must be inspected for damage from service personnel, wind damage, and leakage of chemicals.

Cleaning the Roof Surface, Gutters, and Downspouts: Roofs should be cleaned on a regular basis, and all trash, debris, and dirt collected and removed. Leaves and tree branches must be kept from hindering drainage of water in valleys and to outlets.

Caulking and Mastics: These are maintenance items and should be inspected and routinely maintained by the building owner.

STEEP SLOPE ROOF SYSTEMS (SHINGLES)

Roof System: Carefully inspect the entire roof surface and all flashings for signs of deteriorated conditions such as:

- Excessive wear and tear or surfacing loss
- Damage such as cuts, punctures, or breaks
- Displaced shingles

- Wind or storm damage
- Visible damage caused by spilled chemicals or environmental contaminants like bird feces
- Unauthorized and/or improperly installed penetrations
- Cracked or worn rubber boots around vent pipes

Shingles: Check shingles for any that may be loose, cracked, or broken. Replace when necessary and/or hand-seal loose tabs with shingle tab adhesive conforming to ASTM D4586.

Chimneys, Sidewalls, and Vertical Transitions - Ensure all:

- Metal step flashing and counter flashing is present and secure
- Shingles are embedded in asphalt roof cement where they contact metal flashing

Counter Flashing, Drip Edge Flashing, Coping, and Gutters: Check condition of metal for rust, damage due to wind, vandalism, and the condition of seam covers and sealants. Ensure coping and gutters are securely fastened. Replace any missing or damaged metal beyond repair. Re-secure and re-seal as necessary.

Roof-Mounted Equipment: Curb-mounted vents, ducts, skylights, and air conditioning units must be inspected for damage from service personnel, wind damage, and leakage of chemicals.

Metal Roof Jacks: Inspect pipe and vent locations for cracking or separation of shingles from the metal flanges. Check the condition of secondary sealant applications around the base and where else applied. Re-seal as needed.

Cleaning the Roof Surface, Gutters, and Downspouts: Roofs should be cleaned on a regular basis, and all trash, debris, and dirt collected and removed. Leaves and tree branches must be kept from hindering drainage of water in valleys and outlets. Accumulation of dry leaves can also present a fire hazard. Cut back tree branches that stretch over the roof; increased sunlight will help dissipate moisture and discourage moss growth.

Re-Inspect the Roof Surface

Cleaning, repairs, and maintenance can result in unintended damage caused by foot traffic, use of chemicals, dropped tools, etc. Best to have one last look.

Supersedes all previously published data.





Date:	Maintenance/Alterations Documented:	Roof Accessed By:
		_